



Guillotines HSM CM 2606, CM 3206 Small-/Home Office

Compact and handy. Manual paper clamping with finger guard. With cm and inch scale as well as angle and special format scale.

Order number	Table size (W x L) in mm	Cutting length in mm	Cutting height in mm	Cutting capacity in sheets 70 g/m ²	Weight in kg
Guillotine HSM CM 2606, for formats up to DIN A4 landscape					
1000 700	170 x 260	260	1.0	up to 10	0.8
Colour: grey/red/black					
Guillotine HSM CM 3206, for formats up to DIN A3 landscape					
1000 701	170 x 320	320	1.0	up to 10	0.9
Colour: grey/red/black					



Guillotines HSM CM 3815, CM 4315 Small-/Home Office

Cutting blade made of hardened steel. Manual clamping. Variable rear limit stop can be fastened to side limit stop. Safety grip and plastic guard. Scaling in cm/inches as well as DIN and US formats.

Order number	Table size (W x L) in mm	Cutting length in mm	Cutting height in mm	Cutting capacity in sheets 70 g/m ²	Weight in kg
Guillotine HSM CM 3815, for formats up to DIN A3 landscape					
1000 702	300 x 405	380	1.3-1.5	up to 15	3.6
Colour: grey/red					
Guillotine HSM CM 4315, for formats up to DIN A2 landscape					
1000 703	365 x 455	430	1.3-1.5	up to 15	4.4
Colour: grey/red					



Guillotine HSM CA 3625 Office

The automatic basic model. High quality, ground blade made of hardened steel. Automatic clamping. Variable rear limit stop can be fastened to side limit stop. Safety grip and folding protective guard. Cutting blade safeguard. Scaling in cm/inches as well as DIN and US formats. For formats up to DIN A3 landscape.

Order number	Table size (W x L) in mm	Cutting length in mm	Cutting height in mm	Cutting capacity in sheets 70 g/m ²	Weight in kg
1000 303	343 x 450	360	2.1-2.5	up to 25	5.6
Colour: grey/red/black					



Guillotine HSM CA 3640 Office

With high cutting capacity. High quality, ground Solinger blade made of hardened steel. Automatic clamping. Variable rear limit stop can be fastened to side limit stop. Safety grip and folding protective guard. Cutting blade safeguard. Scaling in cm/inches as well as DIN and US formats. For formats up to DIN A3 landscape.

Order number	Table size (W x L) in mm	Cutting length in mm	Cutting height in mm	Cutting capacity in sheets 70 g/m ²	Weight in kg
1000 301	343 x 450	360	3.6-3.9	up to 40	6.2

Colour: grey/red/black



Guillotine HSM CA 4640 Office

For special requirements. High quality, ground Solinger blade made of hardened steel. Automatic clamping. Variable rear limit stop can be fastened to side limit stop. Safety grip and folding protective guard. Cutting blade safeguard. Scaling in cm/inches as well as DIN and US formats. For formats up to DIN A2 landscape.

Order number	Table size (W x L) in mm	Cutting length in mm	Cutting height in mm	Cutting capacity in sheets 70 g/m ²	Weight in kg
1000 306	343 x 563	460	3.6-3.9	up to 40	7.6

Colour: grey/red/black



Office stack cutter HSM R 48000

For precise cutting of paper stacks. High quality, ground blade made of hardened steel. Manual paper clamping and safety lock. Protected by plexiglass cover. Spindle-guided rear limit stop. With angle bracket for accurate stacking of the paper. With cm and inch scale. For formats up to DIN A2 landscape.

Order number	Cutting length in mm	Cutting height in mm	Cutting capacity in sheets 70 g/m ²	Weight in kg
1000 740	480	60	up to 600	51

Dimensions (WxDxH): 720 x 760 x 460 mm, colour: light grey.


1000 742	Base frame for HSM R 48000, height 750 mm	10
----------	---	----

Rotary trimmers HSM T 2606, T 3206, T 4606 Small-/Home Office

Ground, rotating and self-sharpening round blade made of hardened steel. High level of operational safety thanks to completely covered cutting blade. Cutting head easy to exchange with the rotary lock on the side of the guide axis. Cutting possible in both directions. Automatic, integrated clamping at the cutting edge. Scaling in cm/inches and conventional formats.



Order number	Table size (W x L) in mm	Cutting length in mm	Cutting height in mm	Cutting capacity in sheets 70 g/m ²	Weight in kg
Rotary trimmer HSM T 2606 for photos and formats up to DIN A4 landscape					
1000 720	170 x 260	260	0.6	up to 6	0.8
Rotary trimmer HSM T 3206 for formats up to DIN A3 landscape					
1000 721	170 x 320	320	0.6	up to 6	0.8
Rotary trimmer HSM T 4606 for formats up to DIN A2 landscape					
1000 722	170 x 460	460	0.6	up to 6	0.8
1800 020 010	Spare cutting head for HSM T 2606, T 3206, T 4606				
Colour: grey/red/black					



Rotary trimmers HSM T 7220, T 9610, T 15007 Professional

Ground, rotating and self-sharpening round blade made of hardened steel. High level of operational safety thanks to completely covered cutting blade. Cutting possible in both directions. Automatic, integrated clamping at the cutting edge. Scaling in cm/inches and conventional formats.

Order number	Table size (W x L) in mm	Cutting length in mm	Cutting height in mm	Cutting capacity in sheets 70 g/m ²	Weight in kg
Rotary trimmer HSM T 7220 for formats up to DIN A2					
1000 723	280 x 770	720	2.0	up to 20	5.5
Rotary trimmer HSM T 9610 for formats up to DIN A1					
1000 724	280 x 1060	1000	1.0	up to 10	7.3
Rotary trimmer HSM T 15007 for formats up to DIN A0					
1000 725	280 x 1500	1450	0.7	up to 7	9.8
1000 150	Base frame for HSM T 7220. 20 kg. 900 x 440 x 710-1000 mm				
1000 151	Base frame for HSM T 9610. 21 kg. 1150 x 440 x 710-1000 mm				
1000 152	Base frame for HSM T 15007. 22 kg. 1700 x 440 x 710-1000 mm				
1000 536	Spare cutting head for HSM T 7220, T 9610, T 15007				
Colour: alu/red/black					



Rotary trimmer HSM TA 3200 Small-/Home Office

Round blade made of hardened steel for straight, wavy and perforated cutting. High user safety thanks to enclosed cutting blade, easy and safe to change. Storage compartment for spare blades. Suitable for paper and similar soft material. Locking paper clamping with cutting device. 3 cutting rails and 3 sets of each blade included in standard equipment. With cm and inch scale. For formats up to DIN A3 landscape.



Order number	Table size (W x L) in mm	Cutting length in mm	Cutting height in mm	Cutting capacity in sheets 70 g/m ²	Weight in kg
1000 719	205 x 370	310	0.6	up to 6	0.6
Colour: grey/red/black					