





4/2.2 kW 428 mm

3 x 400 V 50 Hz



Shredder baler combination HSM SP 4040 V

Space-saving combination device (FA 400.2 and KP 40V). Material intake via loading table and electric conveyor belt. Document shredder with keypad control for constant operation and reverse as well as automatic reverse in the event of a paper jam. Shredding and pressing conducted simultaneously. Integrated, manual oiler for cutting unit (particle cut version only). Press with modern controller and bale removal trolley for box or waste bag (basic equipment: 5 cardboards, 5 plastic bags, attachment for bags). Bale ready display.

Order number	Cutting size in mm cutting type	Cutting capacity in sheets 70g/m²	Security level	Weight in kg	
2513 111 124	5.8 strips	130	2	737	
2514 111 124	5.8 x 50 particles	120	3	737	
Installation and	training				
Max. bale size (WxHxL): 600 x 500 x 400	mm (box size), pressing pow	ver: 44 kN.		
Dimensions (W	xDxH): 1090 x 2030 x 197	70 mm, colour: light grey.			













Shredder baler combination HSM SP 4940 V

High performance conveyor belt document shredder, combined with inexpensive vertical baler (FA 490.1 and KP 40V). Material intake via loading table and electric conveyor belt. Document shredder with keypad control for constant operation and reverse as well as automatic reverse in the event of a paper jam. Shredding and pressing conducted simultaneously. Integrated, manual oiler for cutting unit (particle cut version only). Baler with modern controller and bale removal trolley for box or waste bag (basic equipment: 5 cardboards, 5 plastic bags, attachment for bags). Bale ready display.

Order number	Cutting size in mm cutting type	Cutting capacity in sheets 70g/m²	Security level	Weight in kg	
2613 111 114	5.8 strips	160-180	2	1030	
2617 111 114	7.5 x 40-80 particles	300-320	2	1030	
2615 111 124	4.5 x 40-70 particles	200-220	3	1030	
Installation and	training				
Max. bale size (WxHxL): 600 x 500 x 400	mm (box size), pressing pow	ver: 44 kN.		
Dimensions (W	xDxH): 1160 x 2330 x 197	70 mm, colour: light grey.			











Shredder baler combination HSM SP 4980

High performance conveyor belt document shredder, combined with convenient, space-saving baling press (FA 490.1 and KP 80). Material intake via large loading table and electric conveyor belt. Keypad control for constant operation and reverse as well as automatic reverse in the event of a paper jam. Modern SPS controller with multilingual display and convenient menu navigation. Photoelectric cell for automatic control of the pressing process. Shredding and pressing conducted simultaneously. Integrated, manual oiler for cutting unit (particle cut version only). Material compressed directly in the waste bag (basic equipment; 5 plastic bags). Bale ready display.

Order number	Cutting size in mm cutting type	Cutting capacity in sheets 70g/m²	Security level	Weight in kg	
2624 209 124	10.5 strips	230-250	1	1265	
2613 209 134	5.8 strips	160-180	2	1265	
2619 209 134	10.5 x 40-76 particles	420-440	2	1265	
2617 209 134	7.5 x 40-80 particles	300-320	2	1265	
2615 209 134	4.5 x 40-70 particles	200-220	3	1265	
Installation and	training				

Max. bale size (WxHxL): 570 x 490 x 650-800 mm, pressing power: 80 kN.

Dimensions (WxDxH): 1160 x 2750 x 1350 mm, colour: light grey.















Shredder baler combination HSM SP 4988

High performance conveyor belt document shredder, combined with baling press (FA 490.1 and KP 88.1). Material intake via large loading table and electric conveyor belt. Keypad control for constant operation and reverse as well as automatic reverse in the event of a paper jam. Modern SPS controller with multilingual display and convenient menu navigation. Photoelectric cell for automatic control of the pressing process. Shredding and pressing conducted simultaneously. Integrated, manual oiler for cutting unit (particle cut version only). Baler with loading aperture/inspection flap for non-confidential documents or cardboard (size 350 x 450 mm). Manual 3-fold bale strapping with continuous polyester tape. Serially equipped with polythene bag attachment (basic equipment: 5 plastic bags). Bale ready display.

Order number	Cutting size in mm cutting type	Cutting capacity in sheets 70g/m²	Security level	Weight in kg
2624 414 124	10.5 strips	230-250	1	1537
2613 414 124	5.8 strips	160-180	2	1537
2619 414 124	10.5 x 40-76 particles	420-440	2	1537
2617 414 124	7.5 x 40-80 particles	300-320	2	1537
2615 414 124	4.5 x 40-70 particles	200-220	3	1537
Installation and	training			
Max. bale size (WxHxL): 500 x 500 x max	. 950 mm (bale length adjust	able), pressing pov	wer: 85 kN.

Dimensions (WxDxH): 1280 x 3530 x 1350, colour: light grey.









9.2/4 kW 500 mm

3 x 400 V



Shredder baler combination HSM SP 5080

Extremely high performance conveyor belt document shredder combined with convenient, space-saving baling press (FA 500.2 and KP 80). Material intake via large loading table and electric conveyor belt. Keypad control for constant operation and reverse as well as automatic reverse in the event of a paper jam. Modern SPS controller with multilingual display and convenient menu navigation. Photoelectric cell for automatic control of the pressing process. Shredding and pressing conducted simultaneously. Integrated, manual oiler for cutting unit. Material compressed directly in the waste bag (basic equipment: 5 plastic bags). Bale ready display.

Order number	Cutting size in mm cutting type	Cutting capacity in sheets 70g/m²	Security level	Weight in kg	
2657 209 134	10.5 x 40-76 particles	600-650	2	1330	
2655 209 134	7.5 x 40-80 particles	500-550	2	1330	
2653 209 134	6 x 40-53 particles	400-450	3	1330	
Installation and	training				

Dimensions (WxDxH): 1155 x 2650 x 1410, colour: light grey.









9.2/4 kW 500 mm 3 x 400 V 50 Hz



Shredder baler combination HSM SP 5088

Extremely high performance conveyor belt document shredder, combined with baling press (FA 500.2 and KP 88.1). Material intake via large loading table and electric conveyor belt. Keypad control for constant operation and reverse as well as automatic reverse in the event of a paper jam. Modern SPS controller with multilingual display and convenient menu navigation. Photoelectric cell for automatic control of the pressing process. Shredding and pressing conducted simultaneously. Integrated, manual oiler for cutting unit. Baler with loading aperture/inspection flap for non-confidential documents or cardboard (size 350 x 450 mm). Manual 3-fold bale strapping with continuous polyester tape. Serially equipped with polythene bag attachment (basic equipment: 5 plastic bags). Bale ready display.

Order number	Cutting size in mm cutting type	Cutting capacity in sheets 70g/m²	Security level	Weight in kg	
2657 414 124	10.5 x 40-76 particles	600-650	2	1600	
2655 414 124	7.5 x 40-80 particles	500-550	2	1600	
2653 414 124	6.0 x 40-53 particles	400-450	3	1600	
Installation and	training				

Max. bale size (WxHxL): 500 x 500 x max. 950 mm (bale length adjustable), pressing power: 85 kN.

Dimensions (WxDxH): 1240 x 3430 x 1410 mm, colour: light grey.









Shredder baler combination HSM SP 50100

Evtremely high performance conveyor helt

Extremely high performance conveyor belt document shredder, combined with fully automatic baling press (FA 500.2 and KP 100). Material intake via large loading table and electric conveyor belt or optionally by inclined conveyor belt and pre-shredder. Direct transfer of the material to be shredded to the downstream baling press. Keypad control for constant operation and reverse as well as automatic reversing in the event of a paper jam. Modern SPS controller with multilingual display and convenient menu navigation. Photoelectric cell for automatic control of the pressing process. Shredding and pressing conducted simultaneously. Integrated, manual oiler for cutting unit. Inspection door for press chamber (size 475 x 500 mm). Separate loading aperture. Fully automatic 3-fold strapping with patented coiled wire. Serially equipped with polythene bag attachment (basic equipment: 5 plastic bags).

Order number	Cutting size in mm cutting type	Cutting capacity in sheets 70g/m²	Security level	Weight in kg
	10.5 x 40-76 particles	600-650	2	2526
	7.5 x 40-80 particles	500-550	2	2526
	6.0 x 40-53 particles	400-450	3	2526
Installation ar	nd training			
Max. bale siz	e (WxHxL): 570 x 490 x max	. 1200 mm (bale length adjus	stable), pressing po	ower: 110 kN.
Dimensions (WxDxH): 2240 x 4360 x 177	0 mm, colour: light grey.		









1 15 kW 415 mm 230 V/50 Hz



Cardboard shredder HSM ProfiPack 400, flexible tabeltop machine

Powerful tabletop machine is portable and flexible in use and especially space-saving thanks to its compact size. Thermal fuse protects the motor from overheating. AC power connection. On/Off and Reverse rocker switch for easy operation.

Order number	Infeed height in mm	Cutting capacity	Cutting speed in m/min	Weight in kg	
1528 124	10	1 layer	8	37.2	













Cardboard shredder HSM ProfiPack 425, mobile standing machine

Multi-functional standing machine has rollers for mobile operation. Its large motor provides high throughput speeds and power reserves - which means it has no problems handling multiple layers. Thermal fuses on all three phases protect the motor from overheating. 3-phase power connection. Rotary switch with the positions On/Off and Reverse for comfortable and easy handling.

Order number	Infeed height in mm	Cutting capacity	Cutting speed in m/min	Weight in kg	
1531 144	20	2 - 3 layers	12	175	
Installation and	d training				











Cardboard shredder HSM ProfiPack 425, mobile standing machine incl. adapter set for vacuum cleaner

Multi-functional standing machine has rollers for mobile operation. Its large motor provides high throughput speeds and power reserves - which means it has no problems handling multiple layers. Thermal fuses on all three phases protect the motor from overheating. 3-phase power connection. Rotary switch with the positions On/Off and Reverse for comfortable and easy handling. Preparation for the connection of dust extraction systems.

Order Infeed height Cutting cap umber in mm		Cutting speed in m/min	Weight in kg	
20	2 - 3 layers	12	175	
Wet/dry vacuum c	leaner system for ProfiPac	k		
d training				
VxDxH): 700 x 480 .	x 970 mm, colour: light gre	ey.		
	in mm 20 Wet/dry vacuum c d training	in mm 20 2 - 3 layers Wet/dry vacuum cleaner system for ProfiPace d training	in mm 20 2 - 3 layers 12 Wet/dry vacuum cleaner system for ProfiPack	in mm in kg 20 2 - 3 layers 12 175 Wet/dry vacuum cleaner system for ProfiPack d training















Document shredder SECURIO B34

Mobile, very high performance model for use as a central device in busy offices. Shreds credit and store cards with ease as well as CDs in security levels 2 and 3 (details see below). Folding safety element, in the security levels 2 and 3 with infeed slot for CDs. Multi-function operating button and reversing button. Economic energy management (EMCS). Quiet operating sound. Filling level display through inspection window. With removable, reusable waste bag. Special CD waste bag for correctly sorted separation of the shredded material.

Order number	Cutting size in mm cutting type	Cutting ca 70g/m²	pacity in sheets 80g/m²	Security level	Applicable for paper and	Weight in kg
1841	5.8 strips	30-32	26-28	2	Ø = 19 ®	34.5
1840	3.9 strips	25-27	22-24	2	Ø = 30	34.5
1843	4.5 x 30 particles	20-22	17-19	3	Ø = 80	42
1842	1.9 x 15 particles	13-14	11-12	4	9 = 5	42

Dimensions (WxDxH): 541 x 439 x 845 mm, colour: white.















Document shredder SECURIO P36

Mobile, high performance model for entire departments and office floors. Shreds credit and store cards with ease as well as CDs and floppy disks (details see below). Multi-function operating button, reversing button and integrated button lock. Folding safety element with contact protection and integrated service flap. Automatic oiler for cutting unit (particle cut version only). Economic energy management (EMCS). Filling level display through inspection window. Large collection volume. Special CD waste container for correctly sorted separation of the shredded material (optional).

Order number	Cutting size in mm cutting type	Cutting ca 70g/m²	pacity in sheets 80g/m²	Security level	Applicable for paper and	Weight in kg			
1851	5.8 strips	47-49	39-41	2	Ø = 10 A	64			
1850	3.9 strips	37-39	31-33	2		64			
1853	4.5 x 30 particles	29-31	25-27	3	Ø = 100	68			
1852	1.9 x 15 particles	18-20	15-17	4	Ø = B	68			
	Metal detection								
	Separate CD cutting unit								
Dimension	ns (WxDxH): 580 x 550 x	936 mm, cold	our: white.						












Document shredder HSM 70.2 Compact

Personal document shredder for confidential paper and documents in small offices or in the home. With on/off switch, automatic start/stop and integrated reversing function. Stand-by mode without power consumption.















230 V/50 Hz

Document shredder HSM 80.2 Compact

Personal document shredder for confidential paper and documents in small offices or in the home. With on/off switch, automatic start/stop and integrated reversing function. Stand-by mode without power consumption.



Order	Cutting size in mm	Cutting ca	pacity in sheets	Security	Applicable for	Weight
number	cutting type	70g/m²	80g/m²	level	paper and	in kg
1081	5.8 strips	10-12	7-9	2	g	3.8
1080	3.9 strips	7-8	5-7	2	g	3.8
1082	4 x 25 particles	5	3-4	3	g	3.8









Document shredder HSM 90.2 Compact

Personal document shredder for confidential paper and documents in small offices or in the home. Automatic start/stop function. On/off switch with integrated reversing function. Stand-by mode without power consumption. With infeed opening (strip cut version).



Order number	Cutting size in mm cutting type	Cutting ca 70g/m²	pacity in sheets 80g/m²	Security level	Applicable for paper and	Weight in kg
1376	5.8 strips	15	10-12	2	Ø = 5	4.0
1190	3.9 strips	12	7-9	2	Ø = 5	4.0
1188	4 x 25 particles	6	3-4	3	g	4.5









225 mm 230 V/50 Hz

Document shredder HSM 102.2 Compact

Personal document shredder for confidential paper and documents in small offices or in the home. Automatic start/ stop function. On/off switch with integrated reversing function. Stand-by mode without power consumption. Filling level display through inspection window. Removable waste container.



Order number	Cutting size in mm cutting type	Cutting ca _l 70g/m²	pacity in sheets 80g/m²	Security level	Applicable for paper and	Weight in kg
1104	5.8 strips	16-18	13-15	2	Ø = 19	6.3
1103	3.9 strips	13-15	10-12	2	Ø = B	6.3
1203*	3.9 strips	13-15	10-12	2	Ø = B	6.3
1102	1.9 strips	8-9	5-7	3	Ø	6.3
1105	4 x 25 particles	6-7	3-5	3	Ø	6.8
1205*	4 x 25 particles	6-7	3-5	3	g	6.8

Dimensions (WxDxH): 365 x 273 x 500 mm, colour: light grey *= silver edition top housing part silver, corpus anthracite.











240 mm 230 V/50 Hz



Document shredder HSM 104.3 Office

High performance model for deskside use, for constant workloads. Also suitable for shredding credit and store cards (details see below). Automatic start/stop function. Stand-by operation without power consumption. On/off switch with integrated reversing function. Stops automatically when the waste container is full or has been removed. Filling level display through inspection window. Removable waste container.

Order number	Cutting size in mm cutting type	Cutting ca 70g/m²	pacity in sheets 80g/m²	Security level	Applicable for paper and	Weight in kg
1286	5.8 strips	22-24	17-19	2	Ø = 10	11.5
1285	3.9 strips	16-18	13-15	2	Ø = 8	11.5
1284	1.9 strips	12-14	9-11	3	Ø = 19	11.5
1288	3.9 x 30 particles	12-14	9-11	3	Ø = 19	12.5
1287	1.9 x 15 particles	9-11	7-9	4	A = 1	12.5











240 mm 230 V/50 Hz

Document shredder HSM 105.3 Office

High performance model for deskside use, for constant workloads. Also shreds credit and store cards in security levels 2 - 4 (details see below), Photoelectric cell for automatic start/stop control. On/off switch with integrated reversing function. Stand-by mode with LED indicator. Stops automatically when the waste container is full or has been removed, with LED indicator. Filling level display through inspection window. Removable waste container.



Order number	Cutting size in mm cutting type	Cutting ca 70g/m²	pacity in sheets 80g/m²	Security level	Applicable for paper and	Weight in kg
1291	5.8 strips	22-24	17-19	2	Ø = 10	11.5
1290	3.9 strips	16-18	13-15	2	Ø = 8	11.5
1289	1.9 strips	12-14	9-11	3	Ø = 9	11.5
1293	3.9 x 30 particles	12-14	9-11	3	Ø = 19	12.5
1292	1.9 x 15 particles	9-11	7-9	4	Ø = 9	12.5
1311	0.78 x 11 particles	5-6	4-5	5	g	12.5

240 mm 230 V/50 Hz



Mobile, entry-level model for use in busy offices. Shreds credit and store cards with ease (details see below), Modern electronic controller. Photoelectric cell for automatic start/stop control. On/off switch with integrated reversing function. Safety element above paper intake. Stand-by mode with LED indicator. Stops automatically when the container is full and door is open, with LED indicator. With reusable waste bag.



Order number	Cutting size in mm	Cutting ca 70a/m²	pacity in sheets 80a/m²	Security level	Applicable for paper and	Weight in kg
number	cutting type	rogim	oog/m	lever		III NY
1663	5.8 strips	22-24	17-19	2		19
1662	3.9 strips	16-18	13-15	2	0 = 8	19
1665	3.9 x 30 particles	12-14	9-11	3	0 = 8	20
1664	1.9 x 15 particles	9-11	7-9	4	Ø = 8	20













255 mm 230 V/50 Hz



Document shredder HSM 125.2 Office

Mobile, high performance model for use as a central device for busy offices. Shreds credit and store cards and also CDs as well as floppy disks (details see below). Modern electronic controller. Photoelectric cell for automatic start/stop control. On/off switch with integrated reversing function. Safety element above paper intake, with infeed slot for CDs/ floppy disks in security level 2. Stand-by mode with LED indicator. Stops automatically when the container is full and door is open. Automatic reverse in security level 5 and HS Level 6. With reusable waste bag.

Order number	Cutting size in mm cutting type	Cutting ca 70g/m²	pacity in sheets 80g/m²	Security level	Applicable for paper and	Weight in kg
1272	5.8 strips	28-30	22-24	2	Ø = 3 3 3	26
1271	3.9 strips	22-24	17-19	2	9 = 3 3	26
1270	1.9 strips	16-18	13-14	3	Ø = 5	26
1274	3.9 x 30 particles	15-18	12-14	3	Ø = 8	30
1273	1.9 x 15 particles	10-12	8-10	4	Ø = 8	30
1275	0.78 x 11 particles	6-8	5-7	5	g	30
1562	1 x 5 particles	4-5	3-4	HS Level 6	3	30
	Automatic oiler for cutt	ting unit (part	icle cut version o	only), 4 l		

Dimensions (WxDxH): 448 x 347 x 828 mm, colour: light grey.











Document shredder HSM 225.2 Office

Mobile, very high performance model for use as a central device in large offices. Shreds credit and store cards with ease as well as CDs and floppy disks (details see below). Modern electronic controller. Photoelectric cell for automatic start/ stop control. On/off switch with integrated reversing function. Folding safety element, in the security levels 2 and 3 with infeed slot for CDs and floppy disks. Stand-by mode with LED indicator. Stops automatically when the container is full and door is open. Automatic stop with LED plus auto-reverse in the event of a paper jam. With reusable waste bag.



Order number	Cutting size in mm	Cutting cap 70g/m²	pacity in sheets 80g/m²	Security level	Applicable for paper and	Weight in kg
1341	5.8 strips	40-42	32-33	2	0 - 10 -	42
1340	3.9 strips	31-33	25-27	2	0-10-	42
1343	3.9 x 40 particles	25-27	20-22	3	0 - 10 A	45-48
1342	1.9 x 15 particles	17-19	12-14	4	8 = 1	45-48
1344	0.78 x 11 particles	10-11	7-9	5	g	45-48
1458	1 x 5 particles	7-8	6-7	HS Level 6	ì	45-48
	Automatic oiler for cutt	ing unit (parti	icle cut version d	only), 4 l		
Dimension	ns (WxDxH): 500 x 420 x	895 mm. cold	our: light grev.			











230 V/50 Hz













1481

400 mm 230 V/50 Hz



Document shredder HSM 386.2 Professional

Mobile, high performance model for IT departments and office floors. Especially suitable for A3 continuous lists, also shreds credit and store cards with ease (details see below). Practical storage space for paper stacks. Photoelectric cell for auto- matic start/stop control. Rocker switch for on/off and reverse. Modern electronic controller. Stand-by mode with LED indicator. Stops automatically when the waste container is full and when the door is open. With removable, reusable waste bag.

Order number	Cutting size in mm cutting type	Cutting cap 70g/m²	acity in sheets 80g/m²	Security level	Applicable for paper and	Weight in kg
1276	3.9 strips	22-23	17-18	2	Ø = 3 @	33
1278	3.9 x 30 particles	14-16	11-13	3	g = 9	35
1277	1.9 x 15 particles	12-14	9-11	4	g = 9	35

1442 050 051 Attachment for storing computer listings

Automatic oiler for cutting unit (particle cut version only), 4 l

Dimensions (WxDxH): 548 x 412 x 860 mm, colour: light grey.

Document shredder HSM 390.3 Professional

Mobile, very high performance model for IT departments and office floors. Can destroy entire computer listings and shred CDs, credit and store cards (details see below). Practical storage space for paper stacks. Folding safety element, in the security levels 2 and 3 with infeed slot for CDs and floppy disks. Modern electronic controller. Photoelectric cell for automatic start/stop control. Rocker switch for on/off and reverse. Stand-by mode with LED indicator, Stops automatically when the waste container is full and when the door is open. Automatic stop with LED and convenient automatic reverse in the event of a paper jam. Removable, reusable waste bag.

Order number	Cutting size in mm cutting type	Cutting ca 70g/m²	pacity in sheets 80g/m²	Security level	Applicable for paper and	Weight in kg
1366	5.8 strips	40-42	33-35	2	Ø = 10 A	48
1365	3.9 strips	31-33	25-27	2	8 = 3 B	48
1368	3.9 x 40 particles	25-27	20-22	3	Ø = 30 A	56-58
1367	1.9 x 15 particles	17-19	13-15	4	9 = 10	56-58
1369	0.78 x 11 particles	10-11	7-9	5	9 = 5	56-58
1660	1 x 5 particles	7-8	6-7	HS Level 6		56-58
	Automatic oiler for cutt	ting unit (part	icle cut version	only). 4 l		

Dimensions (WxDxH): 595 x 510 x 915 mm, colour: light grey.













Document shredder HSM 411.2 Professional

High performance AC model for IT departments and office floors. Can destroy entire computer listings and shred credit and store cards as well as CDs, floppy disks (details see below) and DAT cartridges (3.9 x 50 mm). In the security levels 3 and 4 folding safety element with feeding slot. Keypad control for constant operation and reverse. Photoelectric cell for automatic start/stop control. Stops automatically when the waste bag is full and when the door is open. Convenient automatic reverse in the event of paper jam. Modern electronic controller. Stand-by mode with LED indicator. Removable, reusable waste bag.

Order number	Cutting size in mm cutting type	Cutting ca 70g/m²	pacity in sheets 80g/m²	Security level	Applicable for paper and	Weight in kg
1566	5.8 strips	65-67	51-53	2	Ø = 30 A	74
1565	3.9 strips	48-50	38-40	2	Ø = 30 Pg	74
1568	3.9 x 50 particles	38-40	33-35	3	Ø = 10 A	82
1567	1.9 x 15 particles	26-28	20-22	4	Ø = 3 8	82
1569	0.78 x 11 particles	17-19	12-14	5	g	82
1564	1 x 5 particles	9-10	7-8	HS Level 6	3	82
	Automatic ailer for out	ting unit (part	icle cut version	onlyl Al		

Automatic oiler for cutting unit (particle cut version only), 4 l

Dimensions (WxDxH): 595 x 470 x 990 mm, colour: light grey.











2100 W 1461

400 mm 230 V/50 Hz



Document shredder HSM 412.2 Professional

High performance AC model with additional filling hopper and integrated pre-compactor for crumpled paper, for use in IT departments and office floors. Can even destroy entire computer listings and shred floppy disks, cDs, credit and store cards as well as DAT cartridges. Infeed slot with splinter protection. Keypad control for constant operation and reverse. Photoelectric cell for automatic start/stop control. Stops automatically when the waste bag is full and when the door is open. Convenient automatic reverse in the event of paper jam. Modern electronic controller. Stand-by mode with LED indicator. With removable, reusable waste bag.

Order	Cutting size in mm	Cutting capacity in sheets Security			Applicable for	Weight
number	cutting type	70g/m²	80g/m²	level	paper and	in kg
1582	3.9 x 50 particles	38-40	33-35	3	9 - BOR	87











2100 W 146 I

130 mm 230 V/50 Hz

Data shredder HSM 411.2 OMDD

High performance data shredder especially for destroying CDs and DVDs with high security requirements. Folding safety element with infeed slot. Keypad control for constant operation and reverse. Photoelectric cell for automatic start/stop control. Convenient automatic reverse in the event of material jam. Stops automatically when the waste bag is full and when the door is open. With removable, reusable waste bag.



Order number	Cutting size in mm cutting type	Cutting capacity in sheet: 70g/m² 80g/m²	Security level	Applicable for paper and	Weight in kg
1570 161	2.2 x 4 particles	1 CD/DVD	Highest		80
		per cycle.	Security		
		up to 1500 pcs/h			











Data shredder HSM nanoshred 726

Special device with highest security level. For high ranked, public safety authorities. With special feeding opening for code tapes. Rocker switch for on/off and reverse. Photoelectric cell for automatic start/stop control. LED indication when waste container is full, open or removed.



Order number	Cutting size in mm cutting type	Cutting capacity in sheets 70g/m² 80g/m²	Security level	Applicable for paper and	Weight in kg	
1674 111	0.7 x 2.6 particles	1 punched tape	Highest	-	12	
			Security			

3000 W 290 I 443 mm 3 x 400 V 50 Hz 2200 W





Mobile, high performance model with large collecting capacity, for three-phase power supply. For use in IT departments and office floors. With large filling hopper and integrated, rotating loading aid (security level 3 only). Can destroy entire computer listings and shred floppy disks, cDs, credit and store cards. Practical storage space for paper stacks or lists. Keypad control for constant operation and reverse. Photoelectric cell for automatic start/stop control. Automatic stop with LED when the waste container is full or has been removed. Convenient automatic reverse in the event of paper jam. Sturdy chain drive for maximum throughput. Modern electronic controller. Stand-by mode with LED indicator. Removable trolley to conveniently remove the integrated, reusable waste bag.

Order number	Cutting size in mm cutting type	Cutting cap 70g/m²	pacity in sheets 80g/m²	Security level	Applicable for paper and	Weight in kg	
1503	3.9 x 50 particles	80-85	65-70	3	0 = 3 S A	220	
Installation	n and training						

		- /
<u>*</u>		
H		
		-
- 11	100000	1

Order	Cutting size in mm	Cutting ca	pacity in shee	ts Security	Applicable for	Weight	
number	cutting type	70g/m²	80g/m²	level	paper and	in kg	
1688	2 x 15 particles	35-40	28-32	4	0 = B @ A	220	
Installation	and training						






2x230 I









Mobile, top model for IT departments, archives or as a central document shredder for several offices. Also suitable for shredding CDs and floppy disks. The sturdy technology has been especially designed for a large throughput and long total operating time. Integrated, manual oiler for cutting unit (particle cut version only). Material intake via loading table and electric conveyor belt. Stand-by mode with LED indicator. Keypad control for constant operation and reverse. Stops automatically when the collection container is full or has been removed. Auto reverse in the event of paper jam. Mobile trolley with very sturdy, reusable waste bag included with the standard equipment.



Order number	Cutting size in mm cutting type	Cutting cap 70g/m²	pacity in sheets 80g/m²	Security level	Applicable for paper and	Weight in kg
1534	11.8 strips	180	144	1	0 - 3 O A	425
1513	5.8 strips	130	104	2	0-10-1	425
1514	5.8 x 50 particles	120	96	3	0 - 10 m	425

1513 100 200 Extension of the loading table for 600 mm, selective to the left or right

Installation and training

Dimensions (WxDxH): 1157 x 1568 x 1650 mm, colour: light grey.









2x3 kW 360 1/ 2x180 I

500 mm





Conveyor belt document shredder HSM FA 490.1 Premium

Mobile, top model for IT departments, archives or as a central shredding point. Also suitable for shredding CDs and floppy disks. The sturdy technology has been especially designed for a large throughput and long total operating time. Integrated, manual oiler for cutting unit (particle cut version only). Material intake via loading table and electric conveyor belt. Stand-by mode with LED indicator. Keypad control for constant operation and reverse. Automatic stop and reverse in the event of paper jam. Shredded material transported out of the cutting unit by a conveyor belt.

Order number	Cutting size in mm cutting type	Cutting ca _l 70g/m²	pacity in shee 80g/m²	ts Security level	Applicable for paper and	Weight in kg
1625	10.5 strips	230-250	180-200	1	Ø = 30 3	600
1612	5.8 strips	160-180	120-140	2	Ø = 10 Pa	600
1618	10.5 x 40-76 particles	420-440	330-350	2	0-10-1	600
1616	7.5 x 40-80 particles	300-320	240-260	2	0-10-1	600
1614	4.5 x 40-70 particles	200-220	160-180	3	Ø = 80 A	600
1640 200 .	300 Waste collection tro	lley 600 x 93	6 x 775 mm, c	collection volu	ıme 360 l or 2 x 180 l	
	Industrial vacuum cle	eaner compli	es with IP 54 (2.2 kW)		
	Add-on kit for indust	rial vacuum c	leaner			
Installation	n and training					
Dimension	s (WxDxH): 1160 x 1700	x 1345 mm,	colour: light gi	ey.		













3601/ 500 mm 3 x 400 V 50 Hz 2x180 |

Conveyor belt document shredder HSM FA 500.2 Premium

Mobile, top model for IT departments, archives or as a central shredding point. Also suitable for shredding CDs and floppy disks, can even shred entire files and folders. The sturdy technology has been especially designed for a large throughput and long total operating time. Integrated, manual oiler for cutting unit. Material intake via loading table and electric conveyor belt. Stand-by mode with LED indicator. Keypad control for constant operation and reverse. Automatic stop and reverse in the event of paper jam. Shredded material transported out of the cutting unit by a conveyor belt.





Order number	Cutting size in mm cutting type	Cutting ca 70g/m²	pacity in sheets 80g/m²	Security level	Applicable for paper and	Weight in kg
1658	10.5 x 40-76 particles	600-650	510-550	2	0 - 50 -	725
1656	7.5 x 40-80 particles	500-550	425-470	2	0-10-1	725
1654	6 x 40-53 particles	400-450	340-380	3	0 = B () []	725

Industrial vacuum cleaner complies with IP 54 (2.2 kW)

Add-on kit for industrial vacuum cleaner

Installation and training

Dimensions (WxDxH): 1155 x 2510 x 1410 mm, colour: light grey.













Data shredder shredstar MultiShred

Compact tabletop device for shredding smaller quantities of CDs, floppy disks, credit cards and paper. On/off and reverse switch. Automatic start/stop function.



Order number	Cutting size in mm cutting type	Cutting capacity in sheets 70g/m² 80g/m²	Security level	Applicable for paper and	Weight in kg
1001	4 x 35 particles	1 CD, 1 floppy disk,	3	Ø==0[4]	5.3 kg
		1 credit card , up to			
		8 sheets of folded paper			










Document shredder shredstar S5

Document shredder for personal and home office shredding of tax documents, bank statements, medical bills, etc. Automatic start/stop function. Constant operation switch and reverse switch.



Order	Cutting size in mm	Cutting ca	pacity in sheets	Security	Weight	
number	cutting type	70g/m²	80g/m²	level	in kg	
1002	7 strips	6-7	5	1	1.7	











220 mm 230 V/50 Hz

Document shredder shredstar S10 (strips) / X5 (particles)

Document shredder for personal and home office shredding of tax documents, bank statements, medical bills, etc. LED stand-by indicator. Automatic start/stop function. Constant operation switch and reverse switch.



Order	Cutting size in mm	Cutting ca	pacity in shee	ts Security	Weight	
number	umber cutting type	70g/m²	80g/m²	level	in kg	
1003	6.3 strips	12-13	10	1	2.7	
1004	4 x 38 particles	6-7	5	3	3.3	













230 mm 230 V/50 Hz

Document shredder shredstar X15

Mobile document shredder for personal and home office shredding. Also shreds credit and store cards as well as CDs. Folding safety element with infeed slot and splinter protection. LED stand-by indicator, Automatic start/stop function. Constant operation switch and reverse switch. Filling level display through inspection window, Removable waste container.



Order	Cutting size in mm	Cutting ca	pacity in sheets	Security	Applicable for	Weight
number	cutting type	70g/m²	80g/m²	level	paper and	in kg
1007	4 x 27 particles	17-18	15	3	Q = 3(0)	16















Document shredder SECURIO B22

Personal document shredder for confidential paper and documents in small offices or in the home. Shreds credit and store cards as well as CDs (details see below), Automatic start/stop control. On/off switch with integrated reversing function. Stops automatically when the waste container is full or has been removed. ZES (Zero Energy Standby) for zero power consumption. Filling level display through inspection window. Removable waste container.

Order number	Cutting size in mm cutting type	Cutting ca	pacity in sheets	Security	Applicable for paper and	Weight in kg
		70g/m²	80g/m²	level		
1831	5.8 strips	22-24	17-19	2	Ø - 30	11
1830	3.9 strips	16-18	13-15	2	9 - 5	11
1833	3.9 x 30 particles	12-14	9-11	3	Ø = 5	12
1832	1.9 x 15 particles	9-11	7-9	4	g = 3	12











230 V/50 Hz



Document shredder SECURIO B24

High performance document shredder for deskside use. Shreds credit and store cards with ease as well as CDs (details see below). Multi-function operating button and reversing button. Folding safety element in the security level 2 with infeed slot for CDs. Economic energy management (EMCS). Quiet operating sound. Filling level display through inspection window. Removable waste container.

Order number	Cutting size in mm cutting type	Cutting cap 70g/m²	pacity in sheets 80g/m²	Security level	Applicable for paper and	Weight in kg
1781	5.8 strips	28-30	25-27	2	P = 30	18
1780	3.9 strips	22-24	19-21	2	Ø = 30	18
1783	4.5 x 30 particles	17-19	14-16	3 -	Ø = 8	20.5
1782	1.9 x 15 particles	11-13	9-11	4	Ø = 8	20.5











310 mm 230 V/50 Hz



Document shredder SECURIO B32

Mobile, high performance model for use as a central device in busy offices. Shreds credit and store cards with ease as well as CDs (details see below). Folding safety element in the security level 2 with infeed slot for CDs. Multi-function operating button and reversing button. Economic energy management (EMCS). Quiet operating sound. Filling level display through inspection window. With removable, reusable waste bag. Special CD waste bag for correctly sorted separation of the shredded material.

Order number	Cutting size in mm cutting type		pacity in sheets	Security level	Applicable for paper and	Weight in kg	
		70g/m²	80g/m²	ievei			
1821	5.8 strips	28-30	25-27	2	Ø = 90	25.5	
1820	3.9 strips	22-24	19-21	2	Ø = 30	25.5	
1823	4.5 x 30 particles	17-19	14-16	3	Ø = 5	27	
1822	1.9 x 15 particles	11-13	9-11	4	Ø = 1	27	