R PROFESSIONAL

Catalogue 2020/21

PROFESSIONAL • Removable dust filter : Extended lifespan

- Brushless motor : High speed durable Effective dustproof, waterproof, shockproof

PROTECTION • Clutch Protection : Prevents discs lost

- Power-off protection: Avoid risks • Anti-restart : Prevent accident start

PERFORMANCE 3-Speed design: Choose the right gear according to different working conditions, the targeted speed

regulation is more efficient















INNOVATION. IT'S WHAT DRIVES US

Other companies build things. At WORX, we create.

After all, it's all about The Idea. To do what's never been done. Or taking what's always been done and reimagining it being done better. Faster. Easier. More efficiently.

At WORX, we don't seek out innovation; we let it drive us. Let's see where it takes us.



T STARTS AT THE TOP

WORX employees easily find themselves motivated to innovate — it's a message our President and CEO Tom Duncan of the North American division has stood behind his

Tom has brought over a decade's worth of international business experience and leadership to help create a tight knit team that's efficient, collaborative and known for innovation and excellence.

Tom's mantra: "Our company is winning not only because of our knowledge but because of our passion. It's easy to work hard when you love what you're doing. And I absolutely love what I'm doing."



REIMAGINE. REINVENT. RESULTS. REPEAT.

While our objective might be simple — to create products that help people take care of their homes, yards and gardens — it certainly cannot be considered easy.

We take the accepted norm and reimagine it. Then we head to the drawing board to reinvent it. And then we move on to the next challenge and do it all over again. That's why we're recognized as a leader that's advancing the industry. Just like we did with these products.



REDUCING OUR FOOTPRINT WHILE HELPING YOU REDUCE YOURS.

We believe it's our duty to not only continue introducing WORX products that enable our customers to be environmentally responsible, but to also ensure that we as a company are operating that way as well.

That's why we're constantly improving our manufacturing processes to further reduce waste and manage our emissions. And you'll keep seeing WORX products that protect our atmosphere, like battery-run or electric tools that provide the power and capabilities of gas-powered options.

We take pride in the recognition we've received, like the World Wildlife Fund's **Platinum Award** for Low Carbon Manufacturing and the LEEDS-NC Platinum distinction for our green building. It's proof that we're not only talking the talk, but walking the walk. WORX has been successfully tested by more stringent standards in overseas markets.

14 OFFICES **ACROSS THE WORLD**



The folks at WORX are not only experts in design and engineering, they know a thing or two about how to use our products to improve your home and make your life easier. Check out our blog WORX Toolshed to stay abreast of real-life DIY, lawn and garden advice from our team of professionals.







reddot

Reddot

The Red Dot Design Award originated in Germany and has a history of more than 60 years. It is the largest and most influential design competition in the world. The Red Dot Award Winner is a symbol of high-quality design and a well-known certification mark for excellent design quality. It is reported that this year's Red Dot Design Award has attracted more than 5,500 outstanding works from 54 countries around the world. All works accept the strictness of more than 40 judges from the four aspects of function, aesthetics, use and responsibility. Critical selection.

Known as the "Oscar" in the design industry, the German Red Dot Design Award, WORX brand ushered in two annual Red Dot Awards in 2017 and 2019.

In 2017, six products of WORX won six Red Dot Award Winner 2017 in one fell swoop, which is quite rare in the history of red dot. WORX once again stood in the industry with its strength Top of design! The six original design products of the award-winning WORX are related to power tools such as gun drills, cordless, carpentry and garden. To the highest point, to the future! 1 brand, 6 products, all awards. WORX has created a new miracle!

In 2019, WORX products won the red dot product design award (Red Dot Award Winner 2019). This design product is ingeniously blessed, innovative and empowered, and glorious red dot!



WORX the seven products will be exhibited in the global "Design Temple" - German Red Dot Design Museum.

WORX has always focused on innovation in product development and design, making the product both practical and comfortable to meet the needs of different consumers. The stylish color matching and beautiful styling design subvert the rigid and bulky image of traditional power tools, winning the trust of customers and the favor of consumers, and leading the new trend of the power tool industry!

WORX AWARDS HISTORY

>> "PRODUCT OF THE YEAR 2011" AWARDS

London, June 7, 2011.

With 4 out of 6 awards in two categories, Worx is the clear winner of DIY Week's 2011

The leading European trade magazine has named "Product of the Year" the Sonicrafter oscillating tool and the G-Force angle grinder in the power tool category, and the Trivac blower-vac and the Eco cordless mower for garden tools.



POPULAR SCIENCE "Best of Whats New" AWARD

American, November, 2013.

Popular Science, the number one in global sales and one of the most authoritative science and technology magazines in the world, "Popular Science" announced the "Best of Whats New" in 2013, which is known as the "Global Technology Oscar". Worx SD was selected to win the Grand Awards in the household products category. The award-winning Worx SD (new 4-volt automatically switches cordless screwdriver) has achieved a new leap in technological innovation based on user needs and experience. It can automatically switch the screwdriver, which is convenient, fast and easy to carry.



>> "2014 EFTM BEST" AWARD **WORX SD DRIVER BEST HANDYMAN**

Australians, June, 2014.

The Worx SD Driver is a mini cordless drill with an easy to use set of interchangeable of bits is based on user needs and experience and has achieved a new leap in technological innovation. It can automatically switch the screwdriver, which is convenient and fast to use. The weight and size of the glue gun make it small and exquisite, easy to carry; in terms of appearance, the product is positioned in the gift market, the packaging design is shaped like IPAD, the overall appearance is stylish and simple, high-end avant-garde, deeply loved by consumers.



>> "IDSA" AWARDS WORX SWITCHDRIVER GOLD IDEA

Virginia, August, 2017.

WORX Switchdriver Wins Gold at International Design Excellence Awards. The WORX 20V Switchdriver™ 2-in-1 Drill and Driver has won a Gold award in the International Design Excellence Awards (IDEA®) 2017, hosted by the Industrial Designers Society of America (IDSA). Switchdriver won in the Home & Bath category



>> WORX WON THE EUROPEAN INNOVATION TECHNOLOGY **PLUS X AWARD**

Germany, 2019.

The "Plus X Award" is one of the most influential competitions in the world to enhance the brand. The entry requirements are extremely strict. The entire series of WORX Landroid intelligent lawn mowers stood out among many top brands, winning five sub-category awards all the way, and finally won the "2019 Best Product Award", becoming the only product that won all five selections this year.



A LITUM DATERY, STARED BY MULTIPLE MACHINES

20 POWER SHARE





1. Why does the newly dismantled tool run out of power after a while?
For Worx, all li-ion batteries are shipped with only 10% of the power for safe transportation. After receiving the new tool, please charge the battery immediately after trial. Generally, the first charge is between 3-5 hours (the green light flashes when charging, and the green light always indicates charging is completed)

2. Does the battery have a memory effect?
Worx uses imported li-ion batteries, not traditional batteries, so there is no memory effect

3. Does the temperature affect the battery?
Worx imported batteries have four intelligent battery management systems, among which temperature protection. When the temperature exceeds 45 ° or below 30 °, the battery will stop working to protect the battery life. It is not recommended to store the battery in places with too high or low temperature



POWERFUL AND EFFICIENT

Brushless motor, high speed and durable

Continuous power source, no pressure on drilling and twisting, longer life expectancy.

Question:

Why choose a brushless motor?



Brushed motor disadvantages:

Because of the presence of carbon brushes, wear and sparks are unavoidable during operation, and the energy loss is large and the efficiency is relatively low.



Brushless motor advantage:


The brushless motor adopts a typical mechatronics design, which embodies the physical application of carbon brushes, bringing higher output power and working efficiency.

Electronic commutation makes brushless motors maintenance-free, with no parts that can get worn out with even the most intensive use.

MORE RUNTIME

Your battery is not intended to power up a heater. Because brushless motors do not generate heat, your battery's charge will last longer. Much longer.

Freed from the burden of carbon brushes, brushless motors finally deliver all the power you need for your most challenging tasks.



BRUSHLESS MOTOR

Worx has made brushless motor technology available to demanding users.

The advantage? Higher power, longer runtime on a single charge, and much longer lifetime of the motor.



HIGH EFFICIENCY

MAINTENANCE



LOW

INTERFERENCE










LESS FRICTION










WU130 10mm 12V Brushless Drill / Driver

WU189.2 13mm 20V Brushless Impact

WU294.2 20V Brushless Impact Drill







WU279 20V Brushless Impact Wrench

WU388 124mm 20V Brushless 3F Rotary

WU808 100mm 720W Angle Grinder

BRUSHLESS MOTORS ARE DRIVING REVOLUTIONARY PERFORMANCE



Safety Clutch to Protect Users from Injures



If the drill bit get stuck or touching hard object (such as steel), safety clutch will be automatic activated to protect operators' personal safety (Patent No.: ZL201521019670.4)

Easier to Operate and Lighter Weight



More than one kilogram lighter than other hammers with same specifications Less fatigue after continuous work, and more convenient to operate

Extremely Hammer Drilling Efficiency 142%

Higher drilling efficiency than other hammers with same specifications Same time but more holes, faster in the same job

1010W 2-Function Rotary Hammer WU326P

- 1 Function Switch Knob
 Flexible switching of hammer drill, chisel functions
- 2 Patented Safety Protection Clutch
 Clutch with high wear-resistant alloy steel material, less malfunction
 during life cycle
- 3 Large-pore Air Duct at the Right Side Fast heat dissipation, prevent dust from entering eyes
- 4 Anti-vibration Handle
 Spring vibration absorption design reduces the damage to users
- 5 Anti-slip Handle
 Uniform stripe design and more powerful gripping
- 6 External Quick-change Carbon Brush
 Easy to replace carbon brush
 (Same size as common carbon brushes in the market)



PROFESSIONAL TOOLS

is a high-end power tool brand that cater to heavy industrial and construction users.





2. 12V 10mm Brushless Drill Driver

- 149mm extremely compact body • 1800 RPM efficient output
- LED light
- Rubber overmould handle
- Memory-free lithium-ion battery
- technology, larger battery capacity with less self-discharge

METAL	WOOD	

Specifications		
Voltage		12 V / 2.0 Ah
No-load speed		0 - 500 / 0 - 1800 / min
Chuck capacity		10 mm
Max. torque in dril	I mode	30 N•m
Torque setting		20 + 1 (Drilling)
Drilling capacity	Wood	20 mm
	Steel	10 mm
Battery capacity		2.0 Ah
Charging time		80 min
Machine weight		0.9 kg


2.0 Ah battery pack (WA3506) 1.5 A charger (WA3713) Tool bag

4. 12V Brushless Impact Driver

- High frequency brushless motor
- Compact design
- Long lifetime



Specifications	
Voltage	12 V / 2.0 Al
No-load speed	0 - 1200 / 2400 / 3000 / rpn
Impact rate	4000 bpn
Chuck capacity	6.35 mn
Max. torque	120 N•n
Machine weight	0.9 k



1. 12V 10mm Drill Driver

- 2-speed gear control
- 15+1 torque setting for different work applications
- 10mm keyless chuck with auto spindle lock
- LED battery capacity indicatorCompact and lightweight design
- Variable speed with forward and reverse
- rotation Soft grip handle

Battery capacity

Machine weight

Charging time

WU130

BRUSHLESS MOTOR

WU132

BRUSHLESS MOTOR





LITHIUM POWER

MOTOR

1 pc

3. 12V Brushless Impact Drill

- High frequency impact high output1800 RPM efficient output
- Memory-free lithium-ion battery
- technology, larger battery capacity with less self-discharge



Specifications			
Voltage			12 V / 2.0 A
No-load speed		0 -	- 500 / 1800 / rpr
Impact rate		0 - 7	7500 / 27000 bpr
Chuck capacity			10 mi
Max. torque			30 N•ı
Drilling capacity	Wood		20 mi
	Steel		10 mi
	Brickwo	ork	8 mi
Battery capacity			2.0 A
Charging time			80 m
Machine weight			0.9 k

2.0 Ah battery pack (WA3506) 1.5 A charger (WA3713) Carry bag

5. 12V Impact Drill

- Metal gear box
- LED work light Variable speed control



Specifications	
Voltage	12 V / 2.0 Ah
No-load speed	0 - 2400 / min
Impact rate	0 - 3000 bpm
Chuck size	1/4 " Hex
Max. torque	100 N•m
Battery capacity	2.0 Ah
Machine weight	1.0 kg
*1.5 Ah battery for optional choice	ce



Accessories	
Screwdriver bit	2 pcs
2.0 Ah battery pack (WA3506)	2 pcs
1.5 A charger (WA3753)	1 pc
Carry case	1 pc

20VIMAX

2. 20V 10mm Impact Drill

• 10mm keyless chuck with auto spindle lock

- 2-speed variable speed range
- Forward and reverse rotation Metal gear box
- Rubber overmould handle
- · LED battery capacity indicator



Specifications		
Voltage		20 V / 2.0 Ah
No-load speed	0	- 400 / 0 - 1500 / min
Impact rate		6400 / 23200 bmp
Chuck capacity		10 mm
Max. torque in dr	ill mode	40 N•m
Torque setting		18 + 1 + 1
Drilling capacity	Wood	30 mm
	Steel	10 mm
Battery capacity		2.0 Ah
Machine weight		1.4 kg
Charging time		1 hr



4. 20V Blower

3-speed variable speed control

- Rubber overmould handle Dustproof motor
- High strength material fan ndependent cooling air duct for motor
- Motor damping structure design
- Supporting a variety of functional accessories



Specifications	
Battery pack	20 V / 2.0Ał
No-load speed	11000 / 15000 / 18000 rpn
Air Volume	1.6 / 2.2 / 2.8 m3 / mir
Machine weight	1.3 kg

6. 20V Brushless Impact Driver

- Brushless motor technology
- LED battery capacity indicator
 Metal gear box compact design
- 3 stage torque setting
- · Memory-free lithium-ion battery technology, larger battery capacity with less self-discharge
- High-low torque setting



Specifications	
Battery Voltage	20 V / 4.0 Ah
No-load speed	0 - 1300 / 2100 / 2900 / min
Impact rate	0 - 1600 / 2900 / 3300 bmp
Anvil size	6.35 mm (1/4 ") square
Max torque	175 N•m
Battery capacity	4.0 Ah
Charging time	1 hr
Machine weight	1.7 kg



Accessories

Blowing mouth

Small hose (Φ6, Φ8)

Quick change connector

Blower tube

Dust cover

Accessories

Tool bag

2.0 Ah battery pack (WA3593)


2.0 A charger (WA3924)



n		
n D	Accessories	
е	4.0 Ah battery pack (WA3595)	2 pcs
	2.0 A charger (WA3922)	1 pc
n h	Hook	1 pc
r	Bits holder	1 pc
g	Carry bag	1 pc

1. 20V 10mm Drill Driver

High speed, high torque and higher



- 2-speed variable speed rangeLED light and low battery capacity indicator
- Compact and lightweight design



Specifications		
Voltage		20 V / 2.0 Ah
No-load speed		0 - 400 / 0 - 1500 / min
Chuck capacity		10 mm
Max. torque in dril	ll mode	40 N•m
Torque setting		15 + 1
Drilling capacity	Wood	28 mm
	Steel	10 mm
Battery capacity		2.0 Ah
Machine weight		1.0 kg
Charging time		1 hr



20VMAX POWER

WU189.2

WU279

MOTOR

Accessories	
2.0 Ah battery pack (WA3593)	2 pcs
2.0 A charger (WA3924)	1 pc
Tool bag	1 pc

3. 20V 13mm Brushless Impact Drill

· Brushless motor technology

20VMAX POWER

- LED sight light
 13mm keyless chuck with auto spindle lock
 2 Speed convenient hook
- LED battery capacity indicator
 Memory-free lithium-ion battery technology, larger battery capacity with less self-discharge



ATION		
Specifications		
Voltage		20 V / 2.0A
No-load speed	0 -	- 600 / 0 - 2000 / m
Impact rate		9000 / 32000 bp
Chuck capacity		13 m
Max. torque in dr	ill mode	60 N•
Torque setting		22 + 1 +
Drilling capacity	Wood	40 m
	Steel	13 m
Battery capacity		2.0 A
Machine weight		2.0
Charging time		1 h





Accessories	
2.0 Ah battery pack (WA3593)	2 pcs
2.0 A charger (WA3924)	1 pc
Carry bag	1 pc
Double ended bits (PH2/SL5.5)	1 pc
Hook	1 pc
Belt Clip	1 pc

20VMAX POWER

5. 20V Brushless Impact Wrench

- Brushless motor technology
- Compact designReverse auto-stop function
- LED battery capacity indicator
- Imported high quality switch
 Memory-free lithium-ion battery
- technology, larger battery capacity with less self-discharge
- · High-low torque setting



1 pc

1 pc

1 pc

1 pc

2 pcs

2 pcs

WU294.2

MOTOR

Specifications	
Battery Voltage	20 V / 4.0 A
No-load speed	0 - 1900 / 2900 / mi
Impact rate	0 - 3300 / 3600 bm
Anvil size	12.7 mm (1/2 ") squar
Max torque	320 N•r
Battery capacity	4.0 A
Charging time	2 h
Machine weight	1.4 k

Accessories	
2.0 Ah battery pack (WA3593)	2 pcs
2.0 A charger (WA3924)	1 pc
M22 socket	1 pc
Belt	1 pc
Parallel pin	1 pc
O-shaped ring	1 pc
Tool bag	1 pc

7. 20V 18mm Rotary Hammer

- · Triple function: hammer, drill, screwdriver
- · Compact and safety clutch design Large diameter cylinder design
- Replaceable carbon brush motor design Anti-vibration design
- SDS-plus chuck system



ATION RUCTION		
Specifications		
Voltage		20 V / 2.0 Ah
No-load speed	(0 - 1100 / min
Impact rate		0 - 5300 bmp
Chuck capacity		18 mm
Impact energy		1.5 J
Charging time	2.0 Ah WA3593	2 hrs
	4.0 Ah WA3595	1 hr
Battery capacity	2	.0 Ah / 4.0 Ah
Drilling capacity	Wood	20 mm
	Steel	13 mm
	Concrete	18 mm
	Brickwork	18mm
Machine weight		1 6 kg

WU380.4

20VMAX POWER



Accessories	
4.0 Ah battery pack (WA3595)	1 pc
2.0 Ah battery pack (WA3924)	1 pc
Charger	1 pc
Keyless chuck with SDS adaptor	1 pc
Shoulder strap	1 pc
Tool bag	1 pc

- Using the crank link structure
- Separate shock absorbing structure
- Double clutch tripping technology
 Fully enclosed PCM, dustproof,
- waterproof and shockproof
- Protective Tiles not easy to crack



Specifications	
Voltage	20 V / 4.0 Ah
No-load speed	0 - 1210 / min
Impact rate	0 - 5400 bpm
Impact energy	2.2
Drilling capacity	13 mm
	27 mm
	24 mm
Battery capacity	4.0 Ah
Machine weight	3.2 kg





	Diversi
Accessories	
4.0 Ah battery pack (WA3595)	2 pcs
2.0 A charger (WA3924)	1 pc
Auxiliary handle	1 pc
Depth gauge	1 pc
Tool bag	1 pc

3. 20V Hydroshot Portable Power Cleaner



- Lightweight and compact for easy movement
- Different pressure setting (high / low)
- Different spray patterns provide versatility for different jobs
- 10 times more pressure than garden hose and nozzle



ATION		
Specifications		
Battery pack		20 V / 4.0 Ah
Water flow rate		120 L / H
Max. pressure (low /	high)	94 / 320 psi
Water settings	0°, 15°	°, 25°, 40° (shower)
Max. water flow rate		0.5 gpm
Charging time		2 hrs
Machine weight		1.7 kg

Accessories	
4.0 Ah battery pack (WA3595)	1 pc
2.0 A charger (WA3922 / WA3924)	1 pc
6 m hose	1 pc
Short lance	1 pc
Extension lance	1 pc
Multi-spray nozzle	1 pc
Carry bag	1 pc
Soap bottle	1 pc

5. 20V 100mm Brushless Angle Grinder


- Brushless motor Long run time
- · Anti-restart prevent accident start
- Auto-stop when disc lost speed
- 3-stage speed control
- Soft start

INNOV-

Spindle lock

Machine weight





2.4 kg







Accessories	
4.0 Ah battery pack (WA3595)	2 pcs
2.0 A charger (WA3922)	1 pc
Spanner	1 pc
Auxiliary handle	1 pc
Wheel guard for grinding	1 pc

2. 20V WORXSAW

- 27mm cutting capacity is the largest in its
- class
 LaserGuide™ for maximum cutting precision
- Quick cutting depth adjustment for easy depth setting
- Perfect for plunge cuts and rip cuts around the house
- Extreme slim body for one-hand operation and comfort
- Spindle lock button for easy blade change
- Full metal guard design for durable using life
 Dust extraction facility with build-in dust port



III, U00	Accessories	
Marie World	5.0 Ah battery (WA3564)	1 pc
	3.0 A charger (WA3861)	1 pc
	24T TCT blade	1 pc
/ 5.0 Ah	44T HSS blade	1 pc
800 / min	Diamond tile cutting blade	1 pc
x 15 mm	Parallel guide	1 pc
27 mm	Vacuum adaptor	1 pc
5.0 Ah	Spanner	1 pc
2.3 kg	Carry case	1 pc

20VIII POWER WORKSAW

4. 20V Brushless Sonicrafter

Tool-less system for changing accessories

Max. cutting depth

Battery capacity

Machine weight

Brushless motor

Multi funtion

WOOD INNOV-ATION

Voltage

Specifications

No-load speed

Oscillations angle

Machine weight

Charger rated voltage

No-load battery life

Slim body design

Universal interface

Variable speed control

LED battery capacity indicator









- 10		4 0
	TOOL	NEW 2021

Accessorie	25
40 grit sandin	gS

20 V / 4.0 Ah

55 min

1.2 kg

100 - 240V 50 / 60Hz

8000 - 18000 rpm

40 grit sanding Sheet - with Dust Extraction 1	2 pcs
80 grit sanding sheet (perforated) 1	2 pcs
120 grit sanding Sheet - with Dust Extraction 1	2 pcs
45mm EXTENDED LIFE Precision	1
Wood Plunge Cut Blade	1 pc
28mm End Cut Blade - Universal Interface	1 pc
10mm End Cut Blade - Universal interface	1 pc
HSS Semicircle Saw Blade	1 pc
Sanding Pad - Universal Interface	1 pc
Rigid Scraping Blade	1 pc

1. 450W 10mm Adjustable Speed Drill

- Slim and compact body design The most powerful motor characteristics
- at the same level
- Reversing bracket patented technology
 Variable speed with forward and reverse
- rotation
- Stepless speed regulation
- Longer life



Specifications		
Input power		450 W
No-load speed		0 - 2800 / min
Drilling capacity	Wood	25 mm
	Aluminium	10 mm
	Steel	10 mm
Machine weight		1.2 kg



Accessories

Drill grease

Dust cover

Carry case

Cloth

Auxiliary handle

3. 1010W 26mm 2-F Rotary Hammer

- Two functions : drill and hammer drill
- Fast and efficient hammer punch
- Clutch protection
- Lightweight and convenient operation
- Sealed not leak
- · Crafted design ingenuity



Specifications	
Input power	1010 W
No-load speed	0 - 1250 / min
Impact rate	0 - 3500 bpm
Impact energy	5.0 J
Drilling capacity	40 mm
Drilling range	26 mm
Cable	3.0 m
Machine weight	3.9 kg






- Three functions : drill, hammer and chiselVariable speed
- SDS-Plus chuck · Lock-on switch
- Overload protection
- · Forward and reverse rotation Rubber overmould grip for improved comfort



Specifications		
Input power		800 V
No-load speed		0 - 1300 / mir
Impact rate		0 - 5000 bpn
Impact energy		3.0
Drilling capacity	Wood	32 mn
	Masonry	26 mn
	Steel	13 mn
Cable		3.0 n
Machine weight		2.9 kg



7. 1100W Demolition Hammer

0 - 3500 bpm

Hex 17 mm

10 I

4.9 kg

- Extremely compact & Lightweight but powerful • Metal integrated gearbox
- Auto stop carbon brush

CONST-RUCTION

Input power Input voltage

Impact rate Chuck type

Impact energy

Machine weight



Accessories	
Auxiliary handle	1 pc
BMC case	1 pc
Chuck cover	1 pc



- Variable speed switch
- Forward and reverse rotation
- Lock-on switch
- Soft grip handle
- Metal depth gauge



WU123P

WU326P

1 pc

1 pc

1 pc

1 pc

1 pc

WU340P

Specifications		
Input power		710 V
No-load speed		0 - 2800 / mii
Impact rate		0 - 44800 bpn
Drilling capacity	Wood	32 mn
	Masonry	16 mn
	Steel	13 mn
Cable		3.0 n
Machine weight		2.1 kg



Accessories	
Auxiliary handle	1 pc
Depth gauge	1 pc
Chuck key	1 pc

4. 900W 4-F Rotary Hammer

• Four functions : drill, hammer, chisel and bit rotation

- Anti-vibration main handle
- · SDS-Plus quick change chuck
- · Auto cut-off carbon brush
- 1 touch for easy function selection
- Aluminium gear boxConstant speed control



Specifications		
Input power		900 V
No-load speed		0 - 720 / mi
Impact rate		0 - 3500 bpr
Impact energy		5.5
Drilling capacity		40 mr
	Wood	32 mr
	Masonry	13 mr
Cable	Steel	3.0 r
Machine weight		4.9 k



1 pc

WU350

13 mm	Depth gauge	1 pc
3.0 m	Lubricating oil	1 pc
4.9 kg	Carry case	1 pc

6. 1050W 2-F Rotary Hammer

- Two functions : drill and hammer drill
- Anti-vibration handle
- Overload protectionConstant speed control with forward and
- reverse rotation Rubber overmould grip for improved



Specifications	
Input power	1050 W
No-load speed	0 - 520 / mir
Impact rate	0 - 3500 bpm
Impact energy	7.5
Drilling capacity Masonry	38 mm
Cable	3.0 m
Machine weight	5.3 kg



Auxiliary handle 1 pc Depth gauge 1 pc 40 g lubricating oi 1 pc 1 pc Carry case

vibrafree vibrafree

8. 1400W Reciprocating Saw

Vibrafree® technology

Higher cutting efficiencyTool-less blade change system

Compact design fatigue-free working




Specifications		
Input voltage		220 - 240
Rated power		1400 V
No-load speed		0 - 2800 rpr
Stroke length		32 mr
Max cutting capacity	Wood	300 mr
Machine weight		5.4 k







- Cuts wood, metal, tiles, plasterboard and plastics with ease
- LaserGuide™ for maximum cutting precision • Extreme slim body for one-hand operation





	- 1
Accessories	
Parallel guide	1 pc
Plastic base plate cover	1 pc
V base	1 pc
Hex key	2 pcs
35mm vacuum adaptor	1 pc
24 T TCT blade	1 pc
44 T HSS blade	1 pc
Diamond disc	1 pc
Carry case	1 pc

3. 1400W 190mm Circular Saw

- 24 Teeth TCT blade
- Aluminium base plate Rubber overmould grip



Input power	1400 W
No-load speed	5100 / min
Blade size	190 mm
Blade bore	30 mm
Bevel cut	0 - 45°
Cutting capacity At 90°	65 mm
At 45°	49 mm
Cable	3.0 m
Machine weight	4.3 kg

150

Accessories	
Saw blade 190 mm x 30 mm x 24 T	1 pc
Vacuum adaptor	1 pc
Parallel guide	1 pc
Spanner	1 pc

WU619.1

5. 650W 6mm (1/4") Electric Trimmer

- Stable speed protection, large load is not shaken, hot surface, wonderful surface
- Large capacity motor + steady speed function, adapt to various working conditions, encounter hardwood raft does not affect efficiency
- High-strength bearing chamber, chuck, locking gear, long-term work without wear



Specifications	
Frequency	50 / 60 Hz
Input power	650 W
No-load speed	30000 / min
Collet diameter	6 mm
Machine weight	1.5 kg

Accessories	
Straight guide	1 pc
Trimming idler	1 pc
Wrench 12 mm	1 pc
17 mm	1 pc
Transparent cover	1 pc

7. 240W 1/4 Palm Sander



- Innovative round rubber overmould handle
- Dust-proof switch



Specifications	
Input power	240 W
No-load speed	0 - 13500 / min
Base plate size	103 x 102 mm
Sandpaper size	140 x 115 mm
Oscillating circuit diameter	1.5 mm
Machine weight	1.1 kg



2. 710W 120mm Compact Circular Saw

- 46mm cutting capacity is the largest in its
- Cuts wood, metal, tiles, plasterboard and plastics with ease
- Perfect for bevel cuts and other applications
- around the house LaserGuide™ for maximum cutting precision Extreme slim body for one-hand operation

710 W / 23

At 45

and comfort · Quick cutting depth adjustment for easy



Input power

Blade size

No-load speed

Bevel capacity

Machine weight



	ì
30 - 240 V ~ 50 Hz	Z
3700 / mir	1
120 x 9 5 mm	1

46 mm

30 mm

0 + 45

2.3 kg

	∠ ↑
Accessories	
24T TCT blade	1 pc
60T HSS blade	1 pc
Parallel guide	1 pc
Vacuum adaptor	1 pc
Hex key	1 pc
Diamond disc	1 pc
Carry case	1 pc

DUBLE DBS

4. 720W Jigsaw

Max. cutting capacity At 90°

- Exclusive Double Bearing design for high accuracy and extended durability
- Dual Blow System ensures clear cutting visibility and protects users' eyes from being hurt by dust
- Tool-free blade changing system makes blade replacement fast, easy and safe
- Constant speed improves cutting efficiency



Specifications		
Input power		720 V
No-load speed		800 - 2800 / mi
Stoke length		26 mr
Bevel capacity		0 ± 45
Cutting capacity		135 mr
		20 mr
	Wood	10 mr
Cable	Aluminium	3.0 r
Machine weight	Steel	2.7 k

	-	
Accessories		
Wood cutting blade	1	
(100 mm x 10 TPI, HCS)	1 pc	
Metal cutting blade	1 n/	
(92 mm x 21 TPI, BIM)	1 pc	
Aluminium cutting blade	1	
(100 mm x 8 TPI, HSS)	1 pc	
Hex key	1 pc	
Splintering protector	1 pc	
Vacuum adaptor	1 pc	
Plastic foot plate protection	1 pc	

6. 300W 92 x 180mm Sheet Finishing Sander

WU644.2

- Hook-and-loop and quick clamp system secure all types of sandpaper
- Aluminium base housing and base plate
- · Variable speed setting



Specifications	
Input power	300 W
No-load speed	6000 - 12000 / mir
Orbital diameter	2.4 mm
Base plate size	92 x 180 mm
Sandpaper size	93 x 230 mm
Cable	3.0 m
Machine weight	2.0 kg

(\frac{1}{2} Accessories 120 grit sandpaper 1 pc Vacuum adaptor 1 pc Paper hole punch 1 pc Dust bag 1 pc 2.0 kg 120 grit clamp sanding paper 1 pc

8. 450W Universal Hyperlock® Oscillating Multi-tool

- F50 Sonicrafter® cuts 5X faster maintains speed-of-cut under load
 Universal interface is compatible with other
- oscillation brand accessories oscillation brand accessories

 Switching between accessories is easier than
 ever thanks to an innovative new tool-less
 clamping system

 Hyperlock* tool free system provides 1 ton of
- clamping force to prevent blade slippage

 Microsonic high frequency oscillation technology
- Constant speed control
- Ultra-versatile tool for cutting, sawing, scraping,
- Aluminium gear box for durability and prolonged life

Machine weight



BIV W may been Wast
450 W
11000 - 20000 / min
5.0°

1.5 kg



120 grit sanding sheet (perforated)	9 pcs
180 grit sanding sheet (perforated)	9 pcs
220 grit sanding sheet (perforated)	9 pcs
28 mm & 35 mm standard end cut blade	1 pc
35 mm BM end cut blade UI	1 pc
80 mm HSS semicircle saw blade	1 pc
Carbide grit segment saw blade (standard)	1 pc
Sanding pad-dust extraction	1 pc
Rigid scraping blade	1 pc
Triangular carbide rasp	1 pc

1. 550W Die Grinder

- Auto stop carbon brush
- Slim body design Lock-on switch
- Hardening collet
- Rubber overmould grip for improved



WU427.1

WORXSAW



Specifications	
Input power	550 W
No-load speed	28500 / min
Disc size	32 mm
Collet thread	M6
Cable	3.0 m
Machine weight	1.6 kg

Accessories	
Spanner	2 pcs
Dust guard	1 pc

WU717

3. 2500W 180mm Angle Grinder

- Auto stop carbon brush
- External brush change
- Soft painted handle
- Compact aluminium gear box
- 3-position auxiliary handle
- Lock-on switch



Specifications	
Input power	2500 W
Rated speed	8400 / min
Disc size	180 mm
Disc bore	22.2 mm
Spindle thread	M14
Cable	3.0 m
Machine weight	4.8 kg




5. 2400W 355mm Cut off saw



- 2400W high-power, high-speed motor High cutting accuracy
 Durable carbon brush, convenient to replace



Specifications	
Input power	2
Rated input power	240
No-load speed	3900
Blade size	355
Arbor size	25.4
Machine weight	1





Accessories	
Spanner	1 pc
Resin cutting disc	1 pc

2. 1050W 125mm Angle Grinder

- Auto stop carbon brush
- Slide on / off switch Spindle lock
- Slim body design





Specifications	
Input power	1050 W
Rated speed	10000 / min
Disc size	125 mm
Disc bore	22.2 mm
Spindle thread	M14
Cable	3.0 m
Machine weight	1.7 kg



1 pc

1 pc


Accessories

Spanner

Auxiliary handle

4. 1200W Polisher

· Constant speed maintains speed under



- scraping
 7-speed position adjustment
- · Ergonomic handle with soft grip 2-position auxiliary handle
- Lock-on switch




1 pc

1 pc

WU763


Specifications	
Input power	220 - 240 V
Rated input power	1200 W
No-load speed	3000 rpm
Variable speed range	0 - 600 / 3000 / min
Speed position	7
Spindle thread	M14
Machine weight	2.9 kg



6. 720W 100mm Angle Grinder

- · Auto stop carbon brush
- Spindle lock
- 2-position auxiliary handle Slim body design
- Detachable grating







Spanner

Disc guard



1 pc



PRESSURE CLEANING REINVENTED

The original cordless pressure cleaner that you can take **anywhere**Unlike conventional pressure washers

that require a bulky body unit, a mains connection and a garden hose attached to a tap, the Hydroshot runs on batteries and draws water from any source

Bodyless

No bulky heavy machines to move around: the pump is in the lance

Cordless

Forget tangled power cords, the Hydroshot runs on batteries anywhere

Reel-less

Say no to those long hoses that are never long enough

Pick water from any source: bucket, tank, bottle, pond..



1. 20V Hydroshot Portable Power Cleaner

- Dual watering system in one Power cleaning and watering
- Different pressure settings (high / low) and different spray patterns provide versatility for different jobs
- 10 times more pressure than garden hose and nozzle
- Pulls water from any water source such as bucket, pool, river and etc.
 Quick connection with domestic garden hose and tap
- Lightweight and compact for easy movement and store

Specifications	
Battery pack	20 V / 2.0 Ah
Water flow rate	120 L / H
Max. pressure (low / hig	gh) 94 / 320 psi
Water settings (0°, 15°, 25°, 40° (shower)
Max. water flow rate	0.5 gpm
Charging time	5 hrs
Machine weight	1.65 kg

Accessories	
2.0 Ah battery pack (WA3551)	1 pc
0.4 A charger (WA3760)	1 pc
6m hose	1 pc
Short lance	1 pc
Extension lance	1 pc
Multi-spray nozzle	1 pc
Carry bag	1 pc
Soap bottle	1 pc
Cleaning brush	1 pc
Foldable water bushes	1 00



2. 20V Hydroshot Portable Power Cleaner

- Dual watering system in one Power cleaning and watering
- Different pressure settings (high / low) and different spray patterns provide versatility for different jobs
- 10 times more pressure than garden hose and nozzle Pulls water from any water source such as bucket, pool, river and etc.
- Quick connection with domestic garden hose and tap
 Lightweight and compact for easy movement and store
- 20 V / 2.0 Ah Battery pack Water flow rate 120 L / H 94 / 320 psi Max. pressure (low / high) 94
 Water settings 0°, 15°, 25°, 40° 0.5 gpm 5 hrs Max. water flow rate Charging time 1.65 kg

Accessories	
2.0 Ah battery pack (WA3551)	2 pcs
0.4 A charger (WA3760)	1 pc
6m hose	1 pc
Short lance	1 pc
Extension lance	1 pc
Multi-spray nozzle	1 pc
Cloth	1 pc
Rubber glove	1 pc
Sponge	1 pc
Car wash powder	10 pcs
Cleaning brush	1 pc
Soap bottle	1 pc
Tool box	1 pc

Foldable water bucket

WG629E.3

20VMAX POWER

20VMAX POWER



GARDEN TOOLS

We've some garden tools is easy to use, you can tackle more tasks than ever before and take your yard to the next



20VIMAX

2. 20V 30cm Grass Trimmer

- 3-in-1: trimmer, edger and mini-mower
- Fully adjustable telescopic shaft adjust to the user's height by a pull of a trigger 90° tilting shaft and adjustable auxiliary
- handle for improved control
- 3-position wheel placement for edging and light mowing
 100% automatic single-line feed system
- Flower guard protects flowers, lawn
- ornamentsand assists in edging

20 V / 2.0 Ah
30 cm
1 x 3 m
1.65 mm BNA 2
5 hrs
2.6 kg

20 V / 2.0 Ah	4.7	(J)
30 cm		← ↑
1 x 3 m	Accessories	
1.65 mm BNA 2	2.0 Ah battery pack (WA3551.1)	1 pc
5 hrs	0.4 A charger (WA3760)	1 pc
2.6 kg	Safety guard	1 pc
	Edger wheel	1 pc
	Spool (WA0004)	1 pc

4. 20V 25cm Chain Saw

20VMAX POWER

Compact and lightweight designAuto chain tension system guarantees

- optimum tension while tightening
- Auto lubrication with oil level window
- Front handle protection Soft grip rear handle

Specifications	
Battery pack	20 V / 2.0 Ał
Bar length	25 cm
Chain speed	3.7 m/s
Chain pitch	9 mm
Oil tank capacity	120 m
Charging time	5 hrs
Machine weight	2.9 kg



20 VLITHIUM SHARE WORX

WG169E

Accessories	
2.0Ah Battery pack (WA3551)	1 pc
0.4 A charger (WA3760)	1 pc
Chain	1 pc
Bar	1 pc
Blade protection cover	1 pc

1. 20V 30cm Grass Trimmer

• 2-in-1: Trimmer, edger • Wheeled edging for a precise manicured

- Advance line on command
- Head pivots 90° for various terrains
- Adjustable handle and shaft for added

Specifications	
Battery capacity	20 V / 2.0 Ah
Cutting width	30 cm
Line length	1 x 3 m
Line diameter	1.65 mm BNA 2
Charging time	5 hrs
Machine weight	2.4 kg

2.0 Ah battery pack (WA3551) 1 pc 0.4 A charger (WA3760) Safety guard Edger wheel Spool (WA0004)

20VMAX POWER GT 3.0

3. 20V 52cm Hedge Trimmer

20VMAX POWER

WG259E

· Laser cut blade ensures optimum cutting results

- Dual action blades for reduced vibration and a
- smooth cutting performance
 Two-handed multi-grip switch system helps to
- avoid accidental starting

 Full wrap front handle suits various cutting
- Powershare : 20 V Max lithium-ion battery

Specifications	
Battery pack	20 V / 2.0 Ah
Cutting diameter	14 mm
Blade length	52 cm
Charging time	5 hrs
Machine weight	2.5 kg

Accessories	
2.0 Ah battery pack (WA3551.1)	1 pc
0.4 A charger (WA3760)	1 pc
Safety guard	1 pc
Blade sheath	1 pc

5. 20V JawSaw™

WG329E / WG329E.5

20VMAX POWER JAWSAW

· The only chainsaw designed to cut safely on the ground · A guard covers the chain for enhanced safety

- Auto-tension feature sets the proper tension
- Steel teeth hold the work in place for cutting stability
- Automatic chain lubrication Powershare: 20 V MAX lithium-ion battery
- technology


Battery pack	20 V / 2.0 Al
Bar length	15 cm
Max. cutting capacity	10 cm
Oil tank capacity	30 m
Charging time	5 hrs
Machine weight	3.6 kg




Accessories	
2.0 Ah battery pack (WA3551.1)	1 pc
0.4 A charger (WA3760)	1 pc
Lubrication oil	1 pc
Oil supplier	1 pc
Spanner	1 pc

20VMAX POWER WORXAIR

- Delivers 200 km/h of maximum air speed to
- clean up large areas
- Lightweight and compact design increase
- efficiency and reduces fatigue
- Easily operated with one hand Ideal for hard surfaces, gardens, workshops and
- Powershare: 20 V MAX lithium-ion battery technology








3. 20V Cordless 4" Shear & 8" Shrubber Trimmer

20VMAX POWE



- Quick tool-free conversion from shrub shear to grass shear
 • Over mold soft grip handle reduces fatigue and
- improves grip

 Long lasting lithium battery with runtime
- along the edge(sold separately)

Specifications	
Rated voltage	20 V / 2.0 Ah
No-load speed	1100 / min
Cutting width	4 " with grass shear blade
Max. cutting length	8 " with shrub blade
Max. diameter	0.3 " for shrub blade
Charging time	5 hrs
Machine weight	1 kg

Optional extension handle for easy trimming

Accessories	
2.0 Ah battery pack (WA3551)	1 pc
0.4 A charger (WA3760)	1 pc
4" Grass Shear Blade	1 pc
4" Shrub Shear Blade	1 pc
8" Shrub Shear Blade	1 pc

40VIVAX (20V * 2)

6. 40V (2*20V) / 33cm Cordless Mower

40V MAX Li-ion mower powered by

2 pcs 20V batteries
• Mowing up to 250m² on a charge (TBD)

 Single lever cutting height adjustment Removable battery for convenient

storage and charging batteries

system for fast set up and compact storage

Battery capacity Cutting width

33 cm Cutting height 20 - 60 mm Grass bag capacity 3.5 hrs for 2 batteries (By dual port charger) 1 hr 45 min for 1 battery

Up to 250m² per charge (TBD)



2. 20V Leaf Blower Turbine

20VMAX POWER TURBINE

- High capacity air volume with turbine fan technology
- Two-speed design to tackle any job for various
- applications. Lightweight and ergonomic one-hand operation.
- Hyper-stream air nozzle for extra tough
- Powershare: 20 V MAX lithium-ion battery technology

Specifications	
Battery pack	20 V / 2.0 Ah
Air speed	88 / 120 km / hr
Air Volume	456 / 600 m ³ / hr
Charging time	1 hr
Machine weight	2 kg



4. 20V Handy Saw

WG894E

WG547E.1

20VMAX POWER

- 3-in-1: pruner, reciprocating saw and jigsaw
 Tool-less blade change system for easy blade
- Powershare: 20 V MAX lithium-ion

· Auto chain tensioning

Quick stop chain brake

Tool-less chain replacement

· Auto lubrication



-p	
Battery pack	20 V / 2.0 Ah
Blade length	16 mm
Max. cutting capacity	Wood Ø 60 mm
	Steel Ø 10 mm
Charging time	5 hrs
Machine weight	1.3 kg

Accessories	
2.0 Ah battery pack (WA3551.1)	1 pc
0.4 A charger (WA3760)	1 pc
Wood cutting blade	2 pcs
Steel cutting blade	1 pc

5. 40V (2*20V) / 35cm Cordless Brushless Chainsaw





Specifications	
lattery capacity	40 V (2 x 20 V / 2.0 Ah
ar length	35 cn
hain speed	8 m/
harging time	1 h
Machine weight	4.7 k

2.0 Ah battery pack (WA3551) Dual port charger (WA3864)

1. 550W 30cm Grass Trimmer / Edger

Rechargeable battery life Type of rechargeable battery

Converts trimmer easily to an edger in seconds

Worx Landroid

WR106SI Robot

The most agile and efficient

Our AIA technology is designed to handle

even the most complex garden. Landroid

easily mows between your flowerbeds, the

corridor that sets your swimming pool apart

from the patio, and the narrow passage that

passages rather than just passing through

connects your front yard to your back yard. Landroid doesn't need a lifeline Landroid always finds its way through narrow passages. Even better, it mows the

Lawn Mower

mower

Specifications

Dimensions

Height of cut

Mowing in the rain

Mowing settings


Navigation IFTTT Charging time

Weight

Recommended up to

Programming / controlling the app

- Adjustable cutting head for various terrains Adjustable handle for maximum comfort and
- Telescopic shaft adjusts to user's height and posture Dual line auto-feed system for the best cutting
- performance Flower guard helps to protect flowers and
- ornaments Soft grip on main handle for comfortable use
- Cord retention system prevents accidental power disconnection



1 pc

WG119E

WORX 5

Safety guard

450 m²

7.4 kg

20 - 60 mm

±35 % (19°)

Optional

Yes

AIA

90 min 40 min

18 V / 2.1 Ah 68 dB

54.2 x 40.1 x 23.6 cm

Disc with three rotating blades

3. 3000W Trivac

- 3-in-1: blower, mulcher and vacuum
- Easily convert between blower and vacuum mode with a single touch of the lever
- Compact and lightweight design for one handed operation
- Metal impeller mulches 16 bags of debris into 1 New manual regulator for easy variable speed
- Angled nose for easy access under decking and furniture
- Leaf collection bag


3000 W Input power 128 - 335 km/h Blower Speed Vacuum capacity Bag capacity 16 . Machine weight 4.1 kg




Leaf collection bag 1 pc

2. 2000W 40cm Chain Saw

- Patented chain auto-tensioning system
- Tool-less chain replacement system
- Automatic chain lubrication Built-in chain break for added safety
- Top mounted oil cap for easy filling and oil level indicator





WG303E

4. 1400W 36cm Lawn Mower

• 2-in-1 : rear bag / rear-discharge function

- Collapsible handle with guick clamp
- Right and left start switch for easy start
- Foam padded handle
- · Carry handle for transportation
- Single lever cutting depth adjustment

Specifications	
Input power	1400 W
Cutting width	36 cm
Cutting height	20 - 70 mm / 6 positions
Grass bag capacity	40 L
Machine weight	12.9 kg



Grass collection bag 1 pc Cable clips Handle knob

22

Cutting area

EUROPEAN SELECTION

No matter your level of DIY, we've got a power tool for you so you never have to pause your project to ask the neighbor to borrow a tool.



1.5V 4 VIMAX 12VIMAX

2. 4V Slide Driver with Screwholder

- Retractable screw holder
- Automatic bits change function
- Detachable cartridge with 6 essential bits ready at your finger tips
- Off-center driving axis design and
- telescopic holder
- Forward and reverse bit rotation
- Replaceable bit cartridge
- LED light great for dark areas



Specifications	
Battery pack	4 V / 1.5 Ah
Charging time	5 hrs
No-load speed	230 / min
Max. torque	3 Nºm
Chuck capacity	6.35 mm Hex
Battery capacity	1.5 Ah
Machine weight	0.5 kg



WX255

4VIMAX SD SLIDE DRIVER

Accessories	
25 mm screwdriver bits	5 pcs
25 mm pilot hole drill bit (2 mm)	1 pc
Catridge	1 pc
Charger (HYCH0070420550G)	1 pc

20 VITHIUM

1. 1.5V Laser Range Finder

- · High-speed speed data display
- Accuracy error is less than 1.5mm
 8 measurement modes The whole machine is dustproof,
- waterproof and drop-proof
- Increase the meter flat measurement unit

Specifications		
Max. measuring 1	0.2 - 40 m	/ 70 m / 100 m
Measurement accur	acy 2± (2.0 +	5 x 10-5D) mm
Laser level		Class 2
Laser type	630 - 6	570 nm, < 1 mW
Historical measuren	nent record	20 groups
Operating temperat	ure	0 °C - 40 °C
Storage temperature	e	- 10 °C - 60 °C
Battery life	Up to 5000	measurements
Laser auto off		30 sec
Automatic shutting	down	3 minutes later
of instruments		5 minutes later
Size (LxWxH)	120 mm x 4	18 mm x 27 mm



WX087, WX088, WX089

RUCTION	
Accessories	
Toolkit	1 pc
AAA Battery (1.5 V)	2 pcs

3. 12V 10mm D-Lite Drill

· Lightweight, compact design

LED battery capacity indicator

WX104.2



0.1 kg



Charger (WJS-Y121201000W) 1 pc 25mm screwdriver bits 10 pcs Magnetic holder 1 pc HSS drill bit 3 pcs Power nut driv 2 pcs Sleeve tie 1.0 kg Soft shaft 1 pc

4. 20V Portable Vacuum Cleaner

- · Provides powerful suction in a compact
- size perfect for on the go cleaning.

 Comes with a crevice nozzle and a brush
- attachment for getting into tight spaces.
- Lightweight and portable-total weight

Machine weight

- with battery is only 1.3 kg.
- High and low speeds for various cleaning applications. Easy to remove,
- washable filter included. • Flexible hose extends up to 4 feet long.

Specifications	
Battery pack	20 V / 2.0 Ah
Max. idle speed	34,000 r / min
Charge time	1 hr
Machine weight	1.8 kg

20VMAX POWER

WX030



Accessories	
2.0 Ah battery pack (WA3551)	1 pc
2.0 A charger (WA3880)	1 pc
Brush accessory	1 pc
Crevice tool accessory	1 pc

1. 20V Switchdriver

- Rotating dual chucks
- 2-speed variable speed range
- 6.35mm hex quick-change chucks
- Precise electronic torque control
- Compact and lightweight design
- LED work light

Specifications		
Battery pack		20 V / 2.0 Ah
No-load speed		0 - 400 / 0 - 1500 / min
Clutch position		11 + 1
Max. torque		30 N°m
Chuck capacity		6.35 mm Hex
Orilling capacity	Wood	30 mm
	Steel	10 mm
Machine weight		1.3 kg

20VMAX POWER



√
1 box

WX176.9

WX802

1 pc

WX041

20VMAX POWER SHARE

SWITCHDRIVER

3. 20V Angle Grinder

- · Tool-less quick safety guard adjustment
- Metal gear housing for durability and prolonged life
 2-position auxiliary handle for improved
- comfort Slim body designed improved comfort and
- control Soft grip handle for comfortable grip
- Spindle lock button for easy blade change
- Slide on / off switch

ETAL	WOOD	INNOV- ATION	

Specifications	
attery pack	20 V / 2.0 Ah
harging time	1 hr
lo-load speed	8600 / min
isc Size	100 mm
pindle thread	M10
Machine weight	1.8 kg

2.0 Ah battery pack (WA3551) 2.0 A charger (WA3860) Auxiliary handle

Metal grinding disc

Spanner


Wheel guard for grinding

1 5 11 15 till 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 111
load speed	8600 / min
Size	100 mm
ndle thread	M10
thine weight	1.8 kg

- Pistol grip handle
- Upright standing design 3-stage temperature settings
- Lock-on switch for comfortable
- hands-free use.



Specifications	
Input power	2000 W
Position 1	50°C / 300 L / min
Position 2	350°C / 300 L / min
Position 3	580°C / 500 L / min
Machine weight	0.8 kg



Input power	2000 W
Position 1	50°C / 300 L / min
Position 2	350°C / 300 L / min
Position 3	580°C / 500 L / min
Machine weight	0.8 kg

Specifications	
Input power	2000 W
Position 1	50°C / 300 L / min
Position 2	350°C / 300 L / min
Position 3	580°C / 500 L / min
Machine weight	0.8 kg

2000 W	
50°C / 300 L / min	
350°C / 300 L / min	Accessories
580°C / 500 L / min	Scraper
0.8 kg	Glass protection nozzle
	Flat nozzle
	Hook nozzle

Concentration nozzle

7. 550W Jigsaw

- · Tool-less blade change system
- 4-position pendulum function
 Adjustable base for angle cutting
- Dust blower for better visibility
- Compact and lightweight design
- Lock-off switch
- Rubber overmould grip for improved comfort



Specifications		
Input power		550 V
No-load speed		3100 / mi
Bevel capacity		0 ± 45
Stroke length		20 mr
Drilling capacity	Wood	65 mr
	Aluminium	12 mr
	Steel	6 mr
Machine weight		2.2 k



	The second second
Accessories	
Metal cutting blade	1 pc
Wood cutting blade	1 pc
Aluminium cutting blade	1 pc
Hex key	1 pc

2. 20V Multi-Purpose Saw

Pendulum function for improved cutting efficiency

 Dust blower removes debris and dust to increase cutting visibility

Tool-less blade change system

20 V / 2.0 Ah

0 - 3000 / min

20 mm

50 mm

50 mm 4 mm

100 mm

127 mm

75 mm 1.9 kg













72	
Accessories	
2.0 Ah battery pack (WA3551)	1 pc
2.0 A charger (WA3860)	1 pc
Rep saw blade	1 pc
Jigsaw blade	3 pcs
Paramore Income	4

WX845

WX317.3

4. 20V 216mm Cordless Sliding Miter Saw

Die Cast aluminum table
Motor RPM 3600

Soft grip handle

Battery pack

Charging time

No-load speed Stroke length

Cutting capacity

Rep saw mode

Machine weight

Jigsaw mode

Bevel adjustment ranges from 0 to 45°


PVC pipe

Wood

Steel

PVC pipe

- · Work-holding clamp makes is easy to clamp materials
- Preset detente
- · Easy set up anywhere





	41
Accessories	
Sliding Miter Saw	1 p
40 T blade	1 p
Spanner	1 p
Dust bag	1 p
Battery pack	1 p
Charger	1 p

6. 600W 13mm Impact Drill

- Variable speed provides greater control
- on a variety of materials Adjustable side handle and depth stop for enhanced comfort on repetitive
- Forward and reverse bit rotation for greater control
- Lock-on switch for continuous running

METAL	WOOD	INNOV- ATION	CONST- RUCTION
Sne	cifica	tions	

Specifications		
Voltage		230 - 240 V ~ 50 Hz
No-load speed		0 - 3000 / min
Impact rate		0 - 4800 / min
Chuck capacity		13 mm
Drilling capacity	Masonry	13 mm
	Wood	13 mm
	Steel	13 mm
Machine weight		1.6 kg



Accessories	
Auxiliary handle	1 pc
Depth gauge	1 pc
Chuck key	1 pc
Accessories	109 pcs

8. 250W Universal & Hyperlock Sonicrafter

- · Ultra-versatile tool for cutting, sawing,
- scraping, sanding and more

 Work on wood, metal, plastic, ceramic, drywall and more
- Variable speed control provides greater
- control on a variety of materials

 Microsonic high frequency oscillation
- technology New slimmer rear profile allows for better control when gripping tool



230 - 240 V ~ 50 Hz
250 W
12000 - 21000 / min
3.2°
1.3 kg





25



ccessories	
5 mm standard end cut blades	1 pc
0 mm HSS semicircle saw blade	1 pc
anding pad	1 pc
0 grit sanding sheets	5 pcs
0 grit sanding sheets	5 pcs
20 grit sanding sheets	5 pcs

WORX SUPPORT

The full line of WORX work support solutions make projects easier by supporting heavy loads and clamping materials in place.



1. Pegasus Folding Work Table & Sawhorse

- · Versatile work table can be used as both
- sawhorse and work bench
 Integrated clamping system securely holds
- the working material in place Compact and lightweight design for effortless transport and storage
- Universal quick clamp can be used on all Worx work product support







	•	
Accessories		
Quick clamps		2 pcs
Clamp dogs		4 pcs



CONNECT MULTIPLE TABLES



EASY TRANSPORT AND STORAGE

PEG/ISUS

JAWHORSE*

SIDEKICK

2. Jawhorse Portable Clamping Workstand


- Non-slip foot for stable support
- Quickly folds down for easy storage and transport
- Hands-free clamping
 Lock release switch for fast clamp release
- Quick click legs- fast and safe set up and
- folding
 Solid steel construction provides rigidity and
- Tripod base for the ultimate stability





Clamp travel - foot pedal

Machine weight



24 mm / step



Accessories	
Tool tray	1 p
•	





HOLD TIGHT WITH ANY ANGLE

EASY TRANSPORT AND STORAGE

3. Sidekick Portable Work Table

- Easy to set-up metal leg stand supports up to 300 lbs • Folds in half for easy transport and out of the
- way storage
 Handle design for effortless transport
- Compact, lightweight, and detachable table-top design
 Tool holding tray for convenient storage of
- Sturdy, portable and adaptable to your work

WOOD	INNOV- ATION	
Spec	cifications	
Table	e size	600 x 600 mm
Weig	ht capacity	135 kg
Work	ing height	813 mm
Fold	size	937 x 329 x 136 mm
Prod	uct weight	6.2 kg




Accessories Clamp dog 4 pcs Link locks 2 pcs









CONNECT WITH OTHER PRODUCT EASY TRANSPORT AND STORAGE

A BATTERY TO UNLOCK THE WHOLE PLATFORM



20V Battery Adapte	r	WA 4600
1.		
	Specification	
	Weight	0.16 kg
	Compatible for	WA 3595
		WA 3596

NOW, YOU CAN FREELY USE THE **NEW VERSION OF THE GREEN 20V BATTERY WITH ALL WORX 20V** TOOLS.

TWICE THE SHARING

These 20V 2.0Ah Max Lithium batteries power every garden and power tool in the WORX Power Share family. Multiple batteries mean you've always got one charged and ready to go for your next project.



BATTERIES & CHARGERS LATEST

20V / 2.0A Li-ion Battery Charger

Specification	n		
Input voltage	100 -	- 240 V ~ 50 / 6	60 Hz 40W
Output voltage	:		20 V
Charging curre	ent		2.0 A
Weight			0.42 kg
Compatible for		WA 3401	WA 3595
			WA 3953

WA 3924

WA 3921



20V / 2.0A Li-ion Battery Charger

Specification		
Input voltage	100 - 240 V ~ 50	/ 60 160W
Output voltage		20 V
Charging current		2.0 A
Weight		0.74 kg
Compatible for	WA 3401	WA 3595
		WA 3953

20V / 2.0A Li-ion Battery Charger



Specification	n	
Input voltage	100 - 240 V ~ 50 /	60 Hz 40W
Output voltage		20 V
Charging curre	nt	2.0 A
Weight		0.47 kg
Compatible for	WA 3401	WA 3593
		WA 3595

12V / 1.5A Li-ion Battery Charger



Specification	
Input voltage	110 - 240 V ~ 50 / 60 22W
Output voltage	12 V
Charging current	1.5 A
Weight	0.28 kg
Compatible for	WA 3506
	WA 3507

12V / 1.5A Li-ion Battery Charger



Specificatio	n	
Input voltage	100 - 240V	~ 50 / 60Hz 23W
Output voltage		12 V
Charging curre	nt	1.5 A
Weight		0.21 kg
Compatible for		WA 3506
-		WA 3507

12V / 3.0A Li-ion Battery Charger



Specification	
Input voltage 110 - 240 \	/ ~ 50 / 60 Hz 45W
Output voltage	12 V
Charging current	3.0 A
Weight	0.64 kg
Compatible for	WA 3506
-	WA 3507

WA 3845

20V / 2.0Ah Li-ion Battery Pack



Specification	n				
Battery capacity	у			- 1	2.0 Ah
Weight				0	.34 kç
Compatible for	WU 388	WU 2	79	WU	172
Compatible for	WU 388 WU 629				

20V / 4.0Ah Li-ion Battery Pack



Specificatio	n					
Battery capacit	y					4.0 Al
Weight					0	.66 kg
Compatible for	WU	388	WU	279	WU	279
Compatible for				279 294.2		

20V / 6.0Ah Li-ion Battery Pack

WA 3401



Specification	n					
Battery capacit	У				(6.0 Ah
Weight						1.1 kg
Compatible for	WU	388	WU	279	WU	279
	WU	629	WU	294.2	WU	294.2
	\ \\/\/\	000	\A/I I	380.4	\ \/\/	380 /

12V / 1.5Ah Li-ion Battery Pack



Specification	
Battery capacity	1.5 Ah
Weight	0.17 kg
Compatible for	WU 128.2
	WU 127
	WU 151

12V / 2.0Ah Li-ion Battery Pack



Specification	
Battery capacity	2.0 Al
Weight	0.17 kg
Compatible for	WU 130
	WU 280
	WU 280.1

BATTERIES & CHARGERS

2UV	/ 3.UA LI-ION Battery Charger		VV.	A 3031
1.		Specification	1	
		Input voltage	100 - 240V ~ 50 /	60Hz 78W
	A STATE OF THE PARTY OF THE PAR	Output voltage		20 V
	AND DESCRIPTION OF THE PERSON.	Charging currer	nt	3.0 A
		Weight		0.53 kg
	The second secon			
		Compatible for	WA 3551	WA 3561
			WA 3551.1	WA 3564

20V / 6.0A Li-ion Battery Charger	WA 3861



Input voltage 100 - 240 V ~	- 50 / 60 Hz 160W
Output voltage	20 V
Charging current	6.0 A
Weight	0.76 kg
Compatible for	WA 3564

18V / 3.0A Li-ion Battery Charg



	WA 3042
Specificatio	n
Input voltage	220 - 240V ~ 50 / 60Hz 78W
Output voltage	18 V
Charging curre	ent 3.0 A
Weight	0.70 kg
Compatible for	WA 3522
	WA 3557

20V / 2.0Ah Li-ion Battery Pack



Specification	
Battery capacity	2.0 Al
Weight	0.36 kg
Compatible for	WU 310
	WU 390

20V / 5.0Ah Li-ion Battery Pack



Specification		
Battery capacity		5.0 Ah
Weight		0.65 kg
Compatible for	WU 309	WU 175
	WU 520	WU 278.1
	WU 677	WU 292

18V / 4.0Ah Li-ion Battery Pack



Specification	
Battery capacity	4.0 Al
Weight	0.66 kg
Compatible for	WU 276
	WU 38












Energy efficient



BATTERIES & CHARGERS







Input voltage	100 - 240V ~ 50	/60Hz 12W
Output voltage		20 V
Charging curre	nt	0.4 A
Weight		0.17 kg
Compatible for		WA 3551
		WA 3551.1

20	V / 2.UA LI-Ion Battery Charger		WA 3860
5.		Specification	1
		Input voltage	100 - 240V ~ 50 / 60Hz 50W
	THE REAL PROPERTY.	Output voltage	20 V
		Charging currer	nt 2.0 A





4V / 0.5A Li-ion Battery Charger

Input voltage	100 - 240 V ~ 50 / 6	60 Hz 190mA
Output voltage	е	4 V
Charging curr	ent	0.5 A
Weight		0.07 kg
Compatible fo	ır	WX 255

HYCH0070420500G



	Specification		
COLUMN TO SERVICE STATE OF THE PARTY OF THE	Battery capacity		2.0 Ah
	Weight		0.37 kg
Second 2	Compatible for	WX 176	WG 169E
			WG 329E.5
			WG 549E
			14/0 0045



WX 802 WG 629E.3

TOOL ACCESSORY WORX tool accessories extend the performance and usability of your tools, making them more versatile and productive.

WORXSAW ACCESSORIES

Sawing	Specifications	Cutting Materials	Application	Model No.	Suitable Model
K-65m	TCT 1		A COL	WA5039	WU420 WU520
	HSS		AF AF	WA5040	WU420 WU520
(s				WA5041	WU420 WU520
K-120r	TCT 24T		A CAL	WA5076	WU427.1
K-115r	HSS		A A	WA5077	WU427.1
k-115			A S	WA5078	WU427.1

CIRCULAR SAW ACCESSORIES

Sawing	Specifications	Cutting Materials	Application	Model No.	Suitable Model
	HW 24CT			50015160	WU430.1 WU434.1

RECIPROCATING SAW





WX550, WG894E

BITS ACCESSORIES

Specifications

Suitable for



WX550, WG894E





1 Aluminium

WX550



	WA4016	50031180	WA4104
Suitable for	WX255	WX176	WX255

OTHER ACCESSORIES





	50026237 POLISHER SPONGE	60043971 QUICK CLAMPS
Suitable for	WU756	WX051

OSCILLATING TOOL ACCESSORY KIT

With this oscillating accessory kit you've got everything you need to saw, cut, scrape, sand and more on a variety of different materials. And the Universal Fit System means you can use these accessories with all popular brands of oscillating tools.



Rasping and Grout Removing						
	Description	Specifications	Cutting Materials	Application	Model No.	рс
	Triangular carbide rasp				WA5082	1
	63mm Carbide grit segment saw blade			De Train	WA2716	1
	Diamond-coated segment saw blade				WA4980	1

Sanding and Polishing						
	Description	Specifications	Cutting Materials	Application	Model No.	рс
	80grit Sanding sheets				WA2138	20
A	120grit Sanding sheets				WA2139	20
	180grit Sanding sheets				WA2140	20
	220grit Sanding sheets				WA2141	20
PROFESSION OF THE PROFESSION O	Perforated Sanding Pad (Standard)				WA2733	1

Sawing a	and Cutting					
	Description	Specifications	Cutting Materials	Application	Model No.	рс
	80mm circular saw blade-Universal interface	[c-80mm-y]		0	WA5008	1
	80mm Universal Fitment HSS Segment SawBlade	[← 80mm→]		6	WA5066	1
ECON BEOTRON	28mm HSS Standard End Cut				WA5072	1
	28mm Universal cutting blade - Metal / Wood	Universal Bi-Metal			WA4988	1
SECTION AND AND AND AND AND AND AND AND AND AN	35mm HSS Standard End Cut				WA5067	1
	35mm Fitment HSS Universal End Cut	Universal Bi-Metal			WA5068	1
	10mm Standard end cut blade- Metal / Wood	Universal Bi-Metal			WA4986	1
	45mm EXTENDED LIFE wood plunge cut blade	Universal EXTENDED LIFE			WA4961	1

Scraping						
	Description	Specifications	Cutting Materials	Application	Model No.	рс
SHORESE TO SHORESE	Rigid scraper blade				WA5080	1
1 700	Flexible scrape blade				WA5081	1

Accessory Kits						
	Description	Specifications	Cutting Materials	Application	Model No.	рс
0	Sonicrafter adapter				WA0110	1

GARDENING TOOL ACCESSORY KIT

Get the most out of your tools with WORX gardening accessories making them more versatile and productive.



GRASS TRIMMER ACCESSORIES





	WA0004 Spool & Line	WA0007 Spool & Line
Suitable for	WG163E, WG169E	WG119E





	WA0216 Spool Cap Cover	WA0217 Spool Cap Cover	
Suitable for	WA0007	WA0004	

BLOWER ACCESSORIES



	WA4091
Suitable for	WG549E

SHRUBBER TRIMMER ACCESSORIES





	50034050	50034053	50034045
	4" Grass Shear Blade	4" Shrub Shear Blade	8" Shrub Shear Blade
Suitable for	WG801E	WG801E	WG801E

LAWN MOWER ACCESSORIES

	WA0027 34cm Blade	WA0018 34cm Blade
Suitable for	WG779E	WG717E

CHAIN SAW ACCESSORIES

	233)	C MAONDE S
	WA0157	WA0158
	40cm Chainsaw Chain	40cm Chainsaw Bar
Suitable for	WG303E	WG303E





THE EASIEST WAY FOR CLEANING

Dirty windows, deck furniture, the garage, brick, and stone are no match for your Hydroshot portable power cleaner with the household cleaning kit. Soap it up, scrub it, then squeegee it until it all looks brand new again.



GENUINE ACCESSORIES







	WA4015	60044386	WA4212 6004549038
Description	Foldable Water Bucket	Inlet Hose Assembly (Original)	6m water hose
Suitable for	WU629 WG629E.1, WG629E.3	WU629 WG629E.1, WG629E.3	WU629 WG629E.1, WG629E.3







	WA4038	WA4036	WA4048
Description	Hydroshot Bottle Cap Connector	Soap Bottle	Multi-Purpose Cleaning Brush
Suitable for	WU629 WG629E.1, WG629E.3	WU629 WG629E.1, WG629E.3	WU629 WG629E.1, WG629E.3

POCKET INDEX



CATEGORY / INDEX:	PAGE
ABOUT WORX • Worx Across The World • Innovation • It's What Drives Us • Worx Awards History	2 3 4-5
POWER SHARE	6 - 9
THE DIFFERENCE OF BRUSHLESS & BRUSHED	10-11
PROFESSIONAL TOOLS • 12V Power Tools WU128.2, WU130, WU280.1 ₩U131, WU132 • 20V Power Tools WU172, WU179, WU189.2, WU230.9, WU279, WU294.2, WU380.4, WU388, WU520, WU629 ₩U690.9, WU808 • Corded Power Tools WU123P, WU305.2, WU326P, WU334, WU340P, WU350 ₩U358, WU401, WU420, WU427.1, WU430.1, WU462, WU619.1, WU644.2, WU646P, WU681 WU717, WU732, WU738.1, WU756, WU800S.2 ₩U763	14 15 16 17 18 19
PRESSURE CLEANING REINVENTED • 20V Hydroshot - WG629E.1, WG629E.3 GARDEN TOOLS • 20V Garden Tools	20
WG163E.2, WG169E, WG259E, WG322E, WG329E / WG329E.5 WG549E, WG801E, WG894E ≅ WG547E.1	21 22
• 40V Garden Tools WG779E ■ WG384E	22
 Landroid Robot Lawn Mover - WR106SI Corded Garden Tools WG119E, WG303E, WG505E, WG717E 	23
EUROPEAN SELECTION • 1.5V Tools - WX087 / WX088 / WX089 • 4V Tools - WX255 • 12V Tools - WX104.2 • 20V Tools WX030 WX176, WX550, WX802 ■ WX845 • Corded Tools WX041, WX317.3, WX477, WX679	24 24 24 24 25 25
WORX SUPPORT • WX051, WX060.1, WX066	26
BATTERY ADAPTER • WA4600	27
TWICE THE SHARING	
 Green Series: Battery And Chargers (Latest) Green Series: Battery And Chargers 	28 29
Orange Series : Battery And Chargers	30 - 31
TOOLS ACCESSORIES	32 - 33
OSCILLATING TOOL ACCESSORIES KIT	34 - 35
GARDEN TOOLS ACCESSORIES	36 - 37
THE EASIEST WAY FOR CLEANING (HYDROSHOT)	38



WE HAVE ALL YOU NEED, CONTACT US NOW!!

WORX MALAYSIA



