




PROVEN • DURABLE • RELIABLE • VERSATILE



Polishing Belts

In glass processing, abrasive belts are primarily used for seaming. Different belt types are available for specific applications depending on surface quality and material removal. Norton offer diamond abrasive belts, SIC grinding belts and cork belts for polishing.



Type of abrasive:

Diamond

Typical application:


Seaming

Type of abrasive:

NORaX® structured silicon carbide

Typical application:

Seaming



Type of abrasive:

Silicon Carbide

Typical application:

Seaming of glass edges with different grit sizes, depending on the material removal and the desired surface quality

Type of abrasive:

Cork

Typical application:

Polishing glass edges

Everjoy Industrial Supplies Pte. Ltd.

38 Woodlands Industrial Park E1, #04-11 Singapore 757700


Telephone: + 65 6748 3093

Fax: +65 6748 7202

Email: tsupport@everjoy.com.sg

Website: www.everjoy.com.sg

Pattern Of Coating



| Diamond Abrasive Belt Sizes | | |
|-----------------------------|------------|----------------------------|
| Specifications | | |
| Length (mm) | Width (mm) | Grit Sizes |
| 533 | 30 | 60 • 120 • 200 • 300 • 400 |
| 830 | 70 | |
| 1100 | 100 | |
| 1180 | 80 | |
| 1800 | 50 | |
| | 75 | |
| 1830 | 100 | |
| 2000 | 100 | |
| 2400 | 100 | |
| 2642 | 100 | |
| 2690 | 100 | |
| 3350 | 50 | |
| | 60 | |
| | 100 | |

Everjoy Industrial Supplies Pte. Ltd.

38 Woodlands Industrial Park E1, #04-11 Singapore 757700

Telephone: + 65 6748 3093

Fax: +65 6748 7202

Email: tsupport@everjoy.com.sg

Website: www.everjoy.com.sg



NORaX[®] Abrasive Belts 3D Structured Silicon Carbide



NORaX[®] is an engineered three-dimensional abrasive product with a special backing. It uses an innovative structure to achieve superb results for material removal, grinding pattern and tool life. Due to the unique grid technology, the product easily adapts to different requirements and increases productivity, quality and reproducibility while reducing costs, waste and material usage.

Compared with conventional SIC belts, NORaX[®] last up to 3 times longer or requires one-third less grinding time. As a result, grinding costs per workpiece can be reduced by up to 20%.



| NORaX [®] Abrasive Belt Sizes | | | | |
|---|------------|------|-----------|--------------|
| Specifications | | | | |
| Length (mm) | Width (mm) | Type | Grit Size | Order Number |
| 457 | 25 | U466 | X70 | 66261191800 |
| 457 | 25 | U466 | X110 | 66261191801 |
| 762 | 50 | U466 | X30 | 66261191802 |
| 762 | 50 | U466 | X70 | 66261191803 |
| 762 | 50 | U466 | X110 | 66261191804 |
| NORaX [®] Grit Sizes And Their Equivalent FEPA Grit Size | | | | |
| FEPA | P80 | P150 | P180 | P220 |
| NORaX [®] | X210 | X110 | X90 | X70 |

Everjoy Industrial Supplies Pte. Ltd.

38 Woodlands Industrial Park E1, #04-11 Singapore 757700

Telephone: + 65 6748 3093


Fax: +65 6748 7202

Email: tsupport@everjoy.com.sg

Website: www.everjoy.com.sg



Silicon Carbide Abrasive Belts



| Silicon Carbide Abrasive Belt Sizes | | | | |
|-------------------------------------|------------|-----------|------|--------------|
| Specifications | | | | |
| Length (mm) | Width (mm) | Grit Size | Bond | Order Number |
| 330 | 10 | P80 | R445 | 66261190873 |
| 455 | 13 | P220 | R445 | 66261190888 |
| 475 | 15 | P80 | R445 | 69957382114 |
| | | P100 | | 63642547788 |
| | | P120 | | 69957382115 |
| | | P150 | | 66261190889 |
| | | P220 | | 66261190891 |
| | | P240 | | 66261190893 |
| | | P320 | | 66261190894 |
| 520 | 20 | P80 | R445 | 63642567304 |
| | | P120 | | 63642547790 |
| | | P220 | | 63642524658 |
| 530 | 30 | P60 | R445 | 66261190899 |
| | | P80 | | 69957332118 |
| | | P120 | | 69957382119 |
| | | P150 | | 69957371883 |
| 533 | 12 | P80 | R445 | 66261190884 |
| | | P120 | | 66261190885 |
| | | P400 | | 66261190886 |
| 533 | 19 | P80 | R445 | 69957382116 |
| | | P180 | | 69957382117 |
| 533 | 20 | P80 | R445 | 63642513590 |
| 533 | 25 | P60 | R445 | 66261190895 |
| | | P180 | | 66254401734 |
| | | P400 | | 63642525280 |
| 533 | 28 | P80 | R445 | 66261190900 |
| | | P100 | | 66261190902 |

Everjoy Industrial Supplies Pte. Ltd.

38 Woodlands Industrial Park E1, #04-11 Singapore 757700

Telephone: + 65 6748 3093

Fax: +65 6748 7202

Email: tsupport@everjoy.com.sg

Website: www.everjoy.com.sg

Silicon Carbide Abrasive Belt Sizes

Specifications

| Length (mm) | Width (mm) | Grit Size | Bond | Order Number |
|-------------|------------|-----------|------|--------------|
| 533 | 30 | P60 | R445 | 66261190905 |
| | | P80 | | 69957379493 |
| | | P100 | | 69957384484 |
| | | P120 | | 69957371884 |
| | | P180 | | 66261188727 |
| | | P220 | | 66261190906 |
| | | P240 | | 66261190907 |
| | | P320 | | 66261188731 |
| | | P400 | | 66261188736 |
| 550 | 30 | P320 | R445 | 66261190909 |
| 604 | 100 | P120 | R445 | 63642509078 |
| 610 | 25 | P80 | R445 | 66261190896 |
| 610 | 100 | P60 | R445 | 63642523985 |
| | | P80 | | 69957378516 |
| | | P120 | | 63642511650 |
| | | P240 | | 63642515267 |
| 820 | 60 | P80 | R445 | 66261190913 |
| 830 | 70 | P60 | R445 | 66261190918 |
| | | P80 | | 69957379492 |
| | | P120 | | 63642567280 |
| | | P150 | | 66261190921 |
| | | P220 | | 66261190923 |
| 1000 | 55 | P80 | R445 | 66957382099 |
| 1000 | 60 | P80 | R445 | 66254400058 |
| 1100 | 100 | P60 | R445 | 66261191402 |
| | | P80 | | 66261191102 |
| | | P150 | | 66261191103 |
| | | P220 | | 66261191104 |
| 1160 | 100 | P180 | R445 | 66254437615 |
| 1620 | 100 | P60 | R445 | 66261191397 |
| | | P80 | | 66261191112 |
| | | P150 | | 66261191114 |
| 1700 | 100 | P120 | R445 | 66261191117 |
| | | P180 | | 66261191119 |
| | | P220 | | 63642546590 |
| | | P320 | | 66261191121 |
| 1750 | 140 | P320 | R445 | 66261191186 |
| 1750 | 160 | P320 | R445 | 66261191192 |
| | | P400 | | 66261190915 |

Everjoy Industrial Supplies Pte. Ltd.

38 Woodlands Industrial Park E1, #04-11 Singapore 757700

Telephone: + 65 6748 3093

Fax: +65 6748 7202

Email: tsupport@everjoy.com.sg

Website: www.everjoy.com.sg

Silicon Carbide Abrasive Belt Sizes

Specifications

| Length (mm) | Width (mm) | Grit Size | Bond | Order Number |
|-------------|------------|-----------|------|--------------|
| 1800 | 50 | P120 | R445 | 66957371898 |
| | | P220 | | 66261190912 |
| 1800 | 100 | P60 | R445 | 66261191960 |
| | | P80 | | 69957375908 |
| | | P100 | | 69957377321 |
| | | P120 | | 69957375909 |
| | | P150 | | 69957374301 |
| | | P180 | | 66261021473 |
| 1803 | 38 | P180 | R445 | 69957382120 |
| 1830 | 100 | P80 | R445 | 69957375905 |
| 1835 | 100 | 180 | R445 | 66261191122 |
| 2000 | 100 | P80 | R445 | 63642559833 |
| | | P120 | | 69957382100 |
| 2000 | 300 | P400 | R445 | 66261191314 |
| 2350 | 100 | P180 | R445 | 66261191129 |
| 2400 | 90 | P60 | R445 | 66261191414 |
| | | P80 | | 66261191415 |
| 2400 | 100 | P60 | R445 | 66261191408 |
| | | P80 | | 69957382101 |
| | | P100 | | 69957351687 |
| | | P120 | | 66261020136 |
| | | P150 | | 69957382102 |
| | | P180 | | 66261191131 |
| | | P220 | | 66261191134 |
| | | P400 | | 63642561307 |
| 2400 | 150 | P180 | R445 | 66261191188 |
| 2500 | 100 | P80 | R445 | 66261177715 |
| | | P150 | | 63642508918 |
| | | P240 | | 63642511075 |
| 2500 | 150 | P400 | R445 | 63642551696 |
| 2600 | 100 | P150 | R445 | 66261191140 |
| 2640 | 150 | P120 | R445 | 63642509015 |
| 2650 | 100 | P80 | R445 | 66261191142 |
| | | P100 | | 66261191143 |
| | | P120 | | 66261180674 |
| 2690 | 100 | P80 | R445 | 69957379098 |
| | | P100 | | 69957382103 |
| | | P150 | | 69957382104 |
| | | P180 | | 66261191147 |
| | | P220 | | 66261191149 |
| | | P400 | | 66261191150 |

Everjoy Industrial Supplies Pte. Ltd.

38 Woodlands Industrial Park E1, #04-11 Singapore 757700

Telephone: + 65 6748 3093

Fax: +65 6748 7202

Email: tsupport@everjoy.com.sg

Website: www.everjoy.com.sg

Silicon Carbide Abrasive Belt Sizes

Specifications

| Length (mm) | Width (mm) | Grit Size | Bond | Order Number |
|-------------|------------|-----------|------|--------------|
| 2850 | 100 | P150 | R445 | 66261191151 |
| 2900 | 60 | P80 | R445 | 66261190914 |
| | | P150 | | 66261190915 |
| 3000 | 100 | P80 | R445 | 69957375914 |
| | | P100 | | 69957375915 |
| | | P120 | | 63642536495 |
| | | P240 | | 69957380030 |
| | | P320 | | 63642546843 |
| 3200 | 90 | P150 | R445 | 66261191962 |
| 3300 | 100 | P80 | R445 | 66254436702 |
| | | P120 | | 63642591483 |
| | | P150 | | 69957382105 |
| | | P400 | | 66254421513 |
| 3300 | 180 | P100 | R445 | 66261191198 |
| 3300 | 200 | P150 | R445 | 66261191200 |
| | | P180 | | 66261191203 |
| 3330 | 100 | P80 | R445 | 66261191160 |
| | | P150 | | 66261191162 |
| 3330 | 200 | P60 | R445 | 66261191413 |
| | | P150 | | 63642551353 |
| | | P240 | | 63642547791 |
| | | P400 | | 63642508142 |
| 3350 | 30 | P150 | R445 | 66261190910 |
| 3350 | 90 | P120 | R445 | 66261191967 |
| | | P150 | | 66261191964 |
| | | P220 | | 66261191968 |
| | | P400 | | 66261191969 |
| 3350 | 100 | P60 | R445 | 69957375917 |
| | | P80 | | 69957380283 |
| | | P100 | | 69957380284 |
| | | P120 | | 69957375918 |
| | | P150 | | 69957382107 |
| | | P180 | | 69957380167 |
| | | P220 | | 69957382108 |
| | | P240 | | 66261191166 |
| | | P320 | | 66261191167 |
| | | P400 | | 69957380169 |

Everjoy Industrial Supplies Pte. Ltd.

38 Woodlands Industrial Park E1, #04-11 Singapore 757700

Telephone: + 65 6748 3093

Fax: +65 6748 7202

Email: tsupport@everjoy.com.sg

Website: www.everjoy.com.sg

Silicon Carbide Abrasive Belt Sizes

Specifications

| Length (mm) | Width (mm) | Grit Size | Bond | Order Number |
|-------------|------------|-----------|------|--------------|
| 3350 | 120 | P20 | R445 | 63642571034 |
| | | P80 | | 66254437774 |
| | | P120 | | 66254437775 |
| | | P240 | | 66254437776 |
| 3350 | 130 | P80 | R445 | 66261191182 |
| 3350 | 150 | P80 | R445 | 66957382109 |
| 3350 | 200 | P80 | R445 | 63642546606 |
| | | P120 | | 63642546608 |
| | | P180 | | 63642546611 |
| | | P220 | | 63642546612 |
| | | P240 | | 63642546614 |
| | | P320 | | 63642546615 |
| 3500 | 180 | P60 | R445 | 66261191412 |
| 3550 | 100 | P80 | | 69957375921 |
| | | P240 | | 66261191168 |
| 3700 | 100 | P80 | R445 | 66261191169 |
| | | P120 | | 66261191170 |
| | | P150 | | 66261191172 |
| | | P180 | | 66261191176 |
| 3970 | 100 | P80 | R445 | 66261191179 |
| 7000 | 60 | P150 | R445 | 63642590610 |
| | | | | |

Other sizes are available on request

Everjoy Industrial Supplies Pte. Ltd.

38 Woodlands Industrial Park E1, #04-11 Singapore 757700

Telephone: + 65 6748 3093

Fax: +65 6748 7202

Email: tsupport@everjoy.com.sg

Website: www.everjoy.com.sg



QUALITY & INNOVATION

Cork Polishing Belts



Cork belts for polishing glass edges are available in two specification, W441 and W445. W445 is made of pure cork for a high gloss finish. W441 has P800-grade silicon carbide added, which can also achieve slight material removal in order to overcome minor flaws during polishing.



| Cork Polishing Belt Sizes | | | |
|---------------------------|------------|------|--------------|
| Specifications | | | |
| Length (mm) | Width (mm) | Type | Order Number |
| 475 | 15 | W445 | 66261191177 |
| 530 | 30 | W445 | 66261191171 |
| 533 | 30 | W445 | 66261189249 |
| 533 | 19 | W445 | 66261191173 |
| 533 | 12 | W445 | 66261191178 |
| 550 | 30 | W445 | 66261191181 |
| 604 | 75 | W445 | 66261190980 |
| 762 | 50 | W445 | 69957383553 |
| 830 | 70 | W445 | 69957382111 |
| 1100 | 100 | W445 | 66261191132 |
| 1300 | 100 | W445 | 66261191130 |
| 1620 | 100 | W445 | 66261191127 |
| 1700 | 100 | W445 | 66261191126 |
| 1800 | 100 | W445 | 66261191110 |
| 1830 | 100 | W445 | 69957376908 |
| 2000 | 300 | W445 | 66261087943 |
| 2000 | 75 | W445 | 66261191183 |
| 2000 | 150 | W445 | 69957378939 |
| 2000 | 350 | W445 | 69957379542 |
| 2400 | 100 | W445 | 69957351686 |
| 2690 | 100 | W445 | 66261191124 |
| 2700 | 100 | W445 | 66261191123 |
| 3000 | 100 | W445 | 69957375925 |
| 3350 | 200 | W441 | 66261089427 |
| 3350 | 200 | W445 | 66261191135 |
| 3350 | 100 | W445 | 69957375926 |
| 3680 | 100 | W445 | 66261191125 |

Other sizes are available on request

Everjoy Industrial Supplies Pte. Ltd.

38 Woodlands Industrial Park E1, #04-11 Singapore 757700

Telephone: + 65 6748 3093

Fax: +65 6748 7202

Email: tsupport@everjoy.com.sg

Website: www.everjoy.com.sg