



TEL 00086-571-89890529 FAX 00086-571-89890595

Please contact local agents for information in details.

GB/T 19001-2008
ISO 9001:2008
CE



*One of the largest hydraulic breaker
manufacturer in China*
12 years
nuosen



REWin[®]
HYDRAULIC BREAKER


**EFFICIENCY
EXTRAORDINARY
EXPERT**

www.posuichui.com
www.nuosen.cn



GENUINE ORIGINAL

NUOSEN HEAVY MACHINERY CO., LTD.



COMPANY PROFILE

NUOSEN Machinery has been focusing on hydraulic breaker for 12 years, which is one of the largest suppliers of breaker hammers. We established Hangzhou Nuosen Machinery Co., LTD in 2004, and spent 160 million CNY on establishing the production center of Jiangsu NUOSEN Machinery Co.t LTD in the Binhai Port regarded as the large deepwater port with 100 thousand load capacity – Jiangsu Binhai Industrial Park in

2010. The coverage area of production center is about 40000 kilometers square and it is the major support enterprise by local government. In 2012, NUOSEN Machinery established the sales center in Hangzhou, which is located in 5A office building with magnificent river view of Qiantang River. It is adjacent to Hangzhou Xiaoshan International Airport and Hangzhou Railway Station.

NUOSEN Machinery is a Chinese factory which took over a famous Korean industry-leading corporation in 2013. At the same time, we brought in advanced production technology and technological process from Japan and built a research and development team which is able to create the world's top products independently. Lots of high-end production equipment were imported with original packing from Japan, Korea and other developed countries. The yearly volume of producing hydraulic breakers reaches about 12,000 and the extra-large type breaker hammer is in our production capacity as well. (The largest diameter of drill rod is about 280mm.) We and our products were certified by ISO9001, CE and other related certifications. Meanwhile, we also had the

OEM business of some international top brands in the world.

Our products range includes "Hydraulic Pressure + Nitrogen Gas" breaker, hydraulic compactor, hydraulic crusher, quick coupler and hydraulic breaker parts for all the models.

More than 200 agencies fully covered all provinces and cities in China. We also developed the overseas markets successfully, exported to America, Europe, Mid-east, India, and South-east Asia. NUOSEN Machinery goes towards the international brand of the world. No matter where you are, our full range of marketing solutions and superior after-sales service will arrive in time.

STRUCTURE AND FEATURES

Structure and Features

■ The key indexes of a hydraulic breaker is the hit frequency and hit energy. Each model of Rewin II series is equipped with powerful hit system hydraulic & nitrogen, with high efficiency, low power loss, and maximum twice-hit energy, which provide great hit energy.

Hit Energy Improved Structure



■ The outstanding design longer the running distance of piston and main body, making the breaker a maximum matching rate with the mainframe.

Flow Adjustable Device

■ The device gives effective adjustment of the flow from the grab or power source, which enable the adjustments according to the hardness of rocks, high hit energy with low hit frequency, low hit energy with high hit frequency.

High-Quality Materials & Specially Precise Process

■ Special precise process ensures the sealing, great hit energy and outbreak force, with high-quality materials ensuring durability.



Item	Unit	SMALL MODEL				
		RWB40	RWB45	RWB53	RWB68	RWB75
Weight	Box type	-	-	-	330	465
	Top type	70	90	120	295	520
	Side type	73	100	120	280	460
Impact Frequency	bpm	800~1400	700~1200	600~1100	500~900	400~800
Operating Oil Pressure	bar	90~120	90~120	90~120	110~140	120~150
Relief	bar	120~150	120~150	120~150	150~170	170~180
Operating Flux	l/min	15~30	20~40	40~70	40~70	45~85
Rod Diameter	mm	40	45	68	68	75
Size of Tube	inch	0.5	0.5	0.5	0.5	0.5
Applicable Excavator	ton	0.8~2.5	1.2~3.0	2.0~4.5	4.0~7.0	6.0~9.0



BOX TYPE

TOP TYPE

SIDE TYPE



BOX TYPE



TOP TYPE

SIDE TYPE

Item		Unit	MEDIUM MODEL			
			RWB100	RWB120	RWB135A	RWB140A
Weight	Box type	Kg	970	1000	1640	1870
	Top type		930	1000	1550	1980
	Side type		887	980	1450	1750
Impact Frequency		bpm	350~700	350~650	400~800	400~800
Operating Oil Pressure		bar	150~170	150~170	160~180	160~180
Relief		bar	190~200	190~200	200~210	200~210
Operating Flux		l/min	80~110	90~120	105~150	125~150
Rod Diameter		mm	100	120	135	140
Size of Tube		inch	0.75	1	1	1
Applicable Excavator		ton	11.0~16.0	15.0~18.0	18.0~25.0	18.0~25.0

Item		Unit	HEAVY MODEL			
			RWB155	RWB165	RWB175	RWB190
Weight	Box type	Kg	2930	3130	4479	-
	Top type		2900	-	-	-
	Side type		2730	3350	4120	4500
Impact Frequency		bpm	250~350	200~350	120~220	180~225
Operating Oil Pressure		bar	160~180	180~200	200~220	200~230
Relief		bar	200~220	200~240	240~260	240~270
Operating Flux		l/min	180~240	200~260	210~290	240~300
Rod Diameter		mm	155	165	175	189
Size of Tube		inch	1 1/4	1 1/4	1 1/4	1 1/4
Applicable Excavator		ton	28.0~35.0	30.0~45.0	40.0~55.0	50.0~65.0

COMPANY PROFILE



- PRODUCTS High efficiency and outstanding quality
- COOPERATION Pleasant experiences
- SERVICES Rapid, accurate, friendly, non-excuse
- BRAND Globalized with faithful distributors and users in places
- STAFF Focus and never pause on the way to target



- ORGANIZATION Stimulating, brave, calm, unified, efficient, innovating, chasing
- EMOTION Loving, respecting, appreciating, requiting
- PERFORMANCE Let all customers be proud of Nuosen




EFFICIENCY
EXTRAORDINARY
EXPERT





SINCE 2016, WE HAVE TAKEN PART IN THE MAIN INTERNATIONAL MACHINERY EXHIBITION, OUR BRAND IS ACCEPTED BY OUR HONORABLE CUSTOMERS.



EFFICIENCY
EXTRAORDINARY
EXPERT



SERVICE NETWORK

